

# Product name: L-Malic acid, colorimetric method

Catalogue reference(s): AK00191, 5 x 10 tests

Components	AK00191	Safety Information
Solution 1 - L-Malic Acid colorimetric	2 x 30 mL	Not Hazardous *
Mixture 2 - L-Malic Acid colorimetric	5 x Lyophilized content	Not Hazardous *
Suspension 3 - L-Malic Acid colorimetric	1 x 2,2 mL	See specific MSDS
Solution 4 - L-Malic Acid colorimetric	1 x 5 mL	Not Hazardous *
Powder 5 - L-Malic Acid colorimetric	1 x 10 mg	Not Hazardous *

\*The component mentioned above is not classified as hazardous according to CLP Regulation (EC) No 1272/2008. Consequently, does not require a Material Safety Data Sheet (MSDS), according to Regulation (EC) No 1907/2006, emended by Regulation (EC) No 2015/830.



Patrícia Ponte Executive Direction



# AK00191 - Suspension 3 - L-Malic Acid colorimetric

	HUN-1: IDENTIFICAT	DN OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING			
l.1	Product identifier: A	00191 - Suspension 3 - L-Malic Acid colorimetric			
	A	monium sulphate			
	CAS: 72	33-20-2			
	EC: 23	-984-1			
Index: Non-applicable					
	REACH: 0	2119455044-46-XXXX			
1.2	Relevant identified u	es of the substance or mixture and uses advised against:			
	Relevant uses: Laborato	y. For professional user only.			
Uses advised against: All uses not specified in this section or in section 7.3					
1.3	Details of the supplie	of the safety data sheet:			
	NZYTech Estrada do Paco do Lumiar Campus do Lumiar - Edif. E, r/c 1649-038 Lisboa - Lisboa - Portugal info@nzytech.com www.nzytech.com				
1.4	,	number: +351 213 643 514 Local time: Monday to Friday 9.00 am to 18.00 National Poison Information Centre (Europe UK): +44 0845 4647 (this service is only available to health professionals)			

# CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319 Repr. 1B: Reproductive toxicity, Category 1B, H360 Resp. Sens. 1: Sensitisation, respiratory, Category 1, H334 Skin Irrit. 2: Skin irritation, Category 2, H315

# 2.2 Label elements:

### CLP Regulation (EC) No 1272/2008:

Danger



### Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation
Repr. 1B: H360 - May damage fertility or the unborn child
Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
Skin Irrit. 2: H315 - Causes skin irritation **Precautionary statements:**P201: Obtain special instructions before use
P280: Wear protective gloves/protective clothing/eye protection/face protection
P302+P352: IF ON SKIN: Wash with plenty of water
P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308+P313: IF exposed or concerned: Get medical advice/attention
P342+P311: If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician
P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively



# AK00191 - Suspension 3 - L-Malic Acid colorimetric

Date of compilation: 12/08/2020 Version: 1

SECTION 2: HAZARDS IDENTIFICATION (continued)

### Substances that contribute to the classification

Imidazole (CAS: 288-32-4); Dehydrogenase, malate (CAS: 9001-64-3)

### Additional Labelling (Annex XVII, REACH):

Restricted to professional users

### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substance:

### Chemical description: Mixture of substances

### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification				
CAS:	288-32-4	Imidazole <sup>(1)</sup>		Self-classified			
	206-019-2 Non-applicable 01-2119485825-24- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318; Repr. 1B: H360; Skin Corr. 1C: H314 - Danger	(1) (2) (3)	1 - <2,5 %		
CAS:		Dehydrogenase, mal	ate <sup>(1)</sup>	Self-classified			
	232-622-5 Non-applicable Non-applicable	Regulation 1272/2008	Resp. Sens. 1: H334 - Danger	*	1 - <2,5 %		

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

### 3.2 Mixture:

Non-applicable

### SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

### By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

# By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.



# AK00191 - Suspension 3 - L-Malic Acid colorimetric

Date of compilation: 12/08/2020 Version: 1

# SECTION 4: FIRST AID MEASURES (continued)

### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

# SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use full jet water as an extinguishing agent.

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

# 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

# Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks



# AK00191 - Suspension 3 - L-Malic Acid colorimetric

Date of compilation: 12/08/2020 Version: 1

# <u>SECTION 7:</u> HANDLING AND STORAGE (continued)

PREGNANT WOMEN SHOULD NOT BE EXPOSED TO THIS PRODUCT. Transfer in designated areas that comply with the necessary safety conditions (emergency showers and eyewash stations in close proximity), using personal protection equipment, especially on the hands and face (See section 8). Limit manual transfers to small amounts only. Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

- D.- Technical recommendations to prevent environmental risks
- It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

# 7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage
  - Store in a cool, dry, well-ventilated location
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace

There are no occupational exposure limits for the substances contained in the product

### DNEL (Workers):

		Short e	xposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
Imidazole	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 288-32-4	Dermal	25 mg/kg	Non-applicable	1,5 mg/kg	Non-applicable
EC: 206-019-2	Inhalation	5583 mg/m <sup>3</sup>	Non-applicable	10,6 mg/m <sup>3</sup>	Non-applicable

# DNEL (General population):

### Non-applicable

#### PNEC:

Identification				
Imidazole	STP	10 mg/L	Fresh water	0,13 mg/L
CAS: 288-32-4	Soil	0,0425 mg/kg	Marine water	0,013 mg/L
EC: 206-019-2	Intermittent	1,3 mg/L	Sediment (Fresh water)	0,336 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable

### 8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

### B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours		EN 405:2001+A1:2009	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.



# AK00191 - Suspension 3 - L-Malic Acid colorimetric

			RSONAL PROTEC	.TION (cor	ntinued)		
C	Specific protection					_	
	Pictogram	PPE NON-disposable ch protective glov		EN IS EN 1	N Standard O 374-1:2016 6523-1:2015 :2003+A1:2009	manufa the p	Remarks he Breakthrough Time indicated by the acturer must exceed the period during wh roduct is being used. Do not use protectiv ms after the product has come into contac with skin.
D	Ocular and facial	protection					
	Pictogram	PPE	Labelling	CE	N Standard		Remarks
	Mandatory face protection	Face shield	CAT II	EN EN	N 166:2001 N 167:2001 N 168:2001 SO 4007:2018		daily and disinfect periodically according anufacturer 's instructions. Use if there is risk of splashing.
E	- Body protection	•	•	•			
	Pictogram	PPE	Labelling	CE	N Standard		Remarks
	Mandatory complete body protection	Disposable clothir protection against c risks		EN EN 1:20 EN IS EN IS	4:2005+A1:2009 4 168:2001 ISO 13982- 004/A1:2010 50 6529:2013 50 6530:2005 4 464:1994		r professional use only. Clean periodically ording to the manufacturer's instructions.
	Mandatory foot protection	Safety footwear protection against c risk	for themical		O 20345:2011 3832-1:2019	Re	place boots at any sign of deterioration.
F	- Additional emerge	-					
	Emergency mea	asure	Standards		Emergency meas	ure	Standards
	Emergency sho		ANSI Z358-1 864-1:2011, ISO 3864-4:	2011	Eyewash station	าร	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
II S V	pillage of both the p <b>'olatile organic co</b>	ne community legi roduct and its cor <b>mpounds:</b> ive 2010/75/EU, t 20 °C:		I information	n see subsectio		nmended to avoid environmental
	Average molecula		Non-applicable				
CTIC	)n 9: Physical A	and chemical	PROPERTIES				
	or complete informa		chemical properti uct datasheet.				
F	Appearance:	<b>C</b> .					
F A P	Appearance: hysical state at 20 ° .ppearance:	C:		quid ot available			



# AK00191 - Suspension 3 - L-Malic Acid colorimetric

Date of compilation: 12/08/2020 Version: 1

SECT	TON 9: PHYSICAL AND CHEMICAL PROPERTIES	(continued)
	Colour:	Not available
	Odour:	Not available
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	100 °C
	Vapour pressure at 20 °C:	2350 Pa
	Vapour pressure at 50 °C:	12381,01 Pa (12,38 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	1283,1 kg/m³
	Relative density at 20 °C:	1,283
	Dynamic viscosity at 20 °C:	2,23 cP
	Kinematic viscosity at 20 °C:	1,74 cSt
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	Non-applicable *
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	480 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Explosive:	
	Lower explosive limit:	Non-applicable *
	Upper explosive limit:	Non-applicable *
9.2	Other information:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing inform	nation property of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

# 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.



# AK00191 - Suspension 3 - L-Malic Acid colorimetric

Date of compilation: 12/08/2020 Version: 1

# SECTION 10: STABILITY AND REACTIVITY (continued)

### **10.3** Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

#### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Precaution	Not applicable	Avoid alkalis or strong bases

### **10.6 Hazardous decomposition products:**

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

### SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified
- as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Produces skin inflammation.
  - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
  - IARC: Non-applicable
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
  - Reproductive toxicity: May damage fertility or the unborn child
- E- Sensitizing effects:
  - Respiratory: Prolonged exposure can result in specific respiratory hypersensitivity.
  - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:



# AK00191 - Suspension 3 - L-Malic Acid colorimetric

Date of compilation: 12/08/2020 Version: 1

# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
- it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

### Other information:

Non-applicable

### Specific toxicology information on the substances:

Identification	Acu	Genus	
Dehydrogenase, malate	LD50 oral	>2000 mg/kg	
CAS: 9001-64-3	LD50 dermal	>2000 mg/kg	
EC: 232-622-5	LC50 inhalation	Non-applicable	
Imidazole	LD50 oral	500 mg/kg (ATEi)	
CAS: 288-32-4	LD50 dermal	>2000 mg/kg	
EC: 206-019-2	LC50 inhalation	>5 mg/L (4 h)	

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

### 12.1 Toxicity:

Identification	Acute toxicity		Species	Genus
Imidazole	LC50	240 mg/L (48 h)	Leuciscus idus	Fish
CAS: 288-32-4	EC50	341.5 mg/L (48 h)	Daphnia magna	Crustacean
EC: 206-019-2	EC50	130 mg/L (72 h)	Scenedesmus subspicatus	Algae

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

### **12.4** Mobility in soil:

Not available

**12.5** Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

# **12.6 Other adverse effects:**

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

Code	nent methods: Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous
Type of was	e (Regulation (EU) No 1357/2014):	
HP10 Toxic fo	reproduction	
	gement (disposal and evaluation):	



# AK00191 - Suspension 3 - L-Malic Acid colorimetric

Date of compilation: 12/08/2020 Version: 1

# SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

# **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# SECTION 14: TRANSPORT INFORMATION

# Transport of dangerous goods by land:

With regard to ADR 2019 and RID 2019:

manrege		
14.1	UN number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4		Non-applicable
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Special regulations:	Non-applicable
	Tunnel restriction code:	Non-applicable
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
14.7	······································	Non-applicable
	to Annex II of Marpol and	
	the IBC Code:	
Transpo	rt of dangerous goods by sea:	
With rega	ard to IMDG 39-18:	
14.1	UN number:	Non-applicable
14.1 14.2		Non-applicable Non-applicable
	UN proper shipping name:	••
14.2	UN proper shipping name:	Non-applicable
14.2 14.3	UN proper shipping name: Transport hazard class(es):	Non-applicable Non-applicable
14.2 14.3	UN proper shipping name: Transport hazard class(es): Labels:	Non-applicable Non-applicable Non-applicable
14.2 14.3 14.4	UN proper shipping name: Transport hazard class(es): Labels: Packing group:	Non-applicable Non-applicable Non-applicable Non-applicable
14.2 14.3 14.4 14.5	UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards:	Non-applicable Non-applicable Non-applicable Non-applicable
14.2 14.3 14.4 14.5	UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user	Non-applicable Non-applicable Non-applicable Non-applicable No
14.2 14.3 14.4 14.5	UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user Special regulations:	Non-applicable Non-applicable Non-applicable Non-applicable No
14.2 14.3 14.4 14.5	UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user Special regulations: EmS Codes:	Non-applicable Non-applicable Non-applicable Non-applicable No
14.2 14.3 14.4 14.5	UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties:	Non-applicable Non-applicable Non-applicable Non-applicable No Non-applicable see section 9
14.2 14.3 14.4 14.5	UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Transport in bulk according	Non-applicable Non-applicable Non-applicable Non-applicable No Non-applicable see section 9 Non-applicable
14.2 14.3 14.4 14.5 14.6	UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Transport in bulk according to Annex II of Marpol and	Non-applicable Non-applicable Non-applicable Non-applicable No Non-applicable see section 9 Non-applicable Non-applicable
14.2 14.3 14.4 14.5 14.6 14.7	UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable Non-applicable Non-applicable Non-applicable No Non-applicable see section 9 Non-applicable Non-applicable
14.2 14.3 14.4 14.5 14.6 14.7	UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Transport in bulk according to Annex II of Marpol and	Non-applicable Non-applicable Non-applicable Non-applicable No Non-applicable see section 9 Non-applicable Non-applicable



# AK00191 - Suspension 3 - L-Malic Acid colorimetric

Date of compilation: 12/08/2020 Version: 1

SECTION 14: T	SECTION 14: TRANSPORT INFORMATION (continued)		
14.1	UN number:	Non-applicable	
14.2	UN proper shipping name:	Non-applicable	
14.3	Transport hazard class(es):	Non-applicable	
	Labels:	Non-applicable	
14.4	Packing group:	Non-applicable	
14.5	Environmental hazards:	No	
14.6	Special precautions for user		
	Physico-Chemical properties:	see section 9	
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable	

# SECTION 15: REGULATORY INFORMATION

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

### Seveso III:

### Non-applicable

# Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Product classified hazardous under the CMR. Sale and distribution to the general public is prohibited. Due to its CMR category, it is essential to apply the specific measures for workplace hazard prevention covered in articles 4 and 5 of the 2004/37/EC Directive and later modifications.

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The product could be affected by sectorial legislation

### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

# SECTION 16: OTHER INFORMATION

### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:



# AK00191 - Suspension 3 - L-Malic Acid colorimetric

TION 16: OTHER INFORM	ATION (continued)
H334: May cause allergy or	asthma symptoms or breathing difficulties if inhaled
H315: Causes skin irritation	
H360: May damage fertility	or the unborn child
H319: Causes serious eye ir	ritation
Texts of the legislative p	hrases mentioned in section 3:
The phrases indicated do no	t refer to the product itself; they are present merely for informative purposes and refer to the
individual components whicl	n appear in section 3
CLP Regulation (EC) No 3	1272/2008:
Acute Tox. 4: H302 - Harmf	ul if swallowed
Eye Dam. 1: H318 - Causes	
	ge fertility or the unborn child
	cause allergy or asthma symptoms or breathing difficulties if inhaled
	s severe skin burns and eye damage
Advice related to training	
	nded in order to prevent industrial risks for staff using this product and to facilitate their
	tation of this safety data sheet, as well as the label on the product.
Principal bibliographical	sources:
http://echa.europa.eu	
http://eur-lex.europa.eu	
Abbreviations and acron	
	concerning the international carriage of dangerous goods by road
IMDG: International maritim	
IATA: International Air Trans	
ICAO: International Civil Avi COD: Chemical Oxygen Den	
BOD5: 5-day biochemical ox	
BCF: Bioconcentration factor	
LD50: Lethal Dose 50	
LC50: Lethal Concentration	50
EC50: Effective concentration	n 50
Log-POW: Octanol-water pa	rtition coefficient
Koc: Partition coefficient of	organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.