

legislation CZ0168 - a-Mannosidase 92L, Bacteroides thetaiotaomicron

Date of	compilation: 23/06/202	20 Revised: 12/10/2023 Version: 2 (Replaced 1)
SECT	TION 1: IDENTIFIC	ATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier:	: CZ0168 - a-Mannosidase 92L, Bacteroides thetaiotaomicron
		Glycerol
	CAS:	56-81-5
	EC:	200-289-5
	Index:	Non-applicable
	REACH:	01-2119471987-18-XXXX
	Other means of ide	entification:
	Non-applicable	
1.2	Relevant identified	l uses of the substance or mixture and uses advised against:
	Relevant uses: Labor	atory. For professional users only.
	Uses advised against	:: All uses not specified in this section or in section 7.3
1.3	Details of the supp	plier of the safety data sheet:
	NZYTech Estrada do Paco do L 1649-038 Lisboa - Li info@nzytech.com www.nzytech.com	umiar Campus do Lumiar - Edif. E, r/c isboa - Portugal
1.4		one number: Contact Local Poison Information Center or Local Emergency Number
SECT	TION 2: HAZARDS 1	DENTIFICATION **
2.1	Classification of th	e substance or mixture:
	CLP Regulation (E	iC) No 1272/2008:
	Classification of this	product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319 Repr. 1B: Reproductive toxicity, Category 1B, H360D Skin Irrit. 2: Skin irritation, Category 2, H315

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Labelling of packages where the contents do not exceed 125 ml:

Danger



Hazard statements:

Repr. 1B: H360D - May damage the unborn child.

Precautionary statements:

P201: Obtain special instructions before use.

P280: Wear protective gloves/face protection/protective clothing/respiratory protection/protective footwear.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

Substances that contribute to the classification

Imidazole (CAS: 288-32-4)

Additional Labelling:

Restricted to professional users

2.3 **Other hazards:**

** Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific NZYtech

legislation

CZ0168 - a-Mannosidase 92L, Bacteroides thetaiotaomicron

Date of compilation: 23/06/2020 Revised: 12/10/2023 Version: 2 (Replaced 1)

SECTION 2: HAZARDS IDENTIFICATION ** (continued)

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Chemical description: Mixture of substances

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		Concentration
CAS:	288-32-4	Imidazole ⁽¹⁾		Self-classified	
EC: Index: REACH	206-019-2 Non-applicable : 01-2119485825-24- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318; Repr. 1B: H360D; Skin Corr. 1C: H314 - Danger	 	1 - <2,5 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

3.2 Mixture:

Non-applicable

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acu	te toxicity	Genus
Imidazole	LD50 oral	500 mg/kg (ATEi)	
CAS: 288-32-4	LD50 dermal	Non-applicable	
EC: 206-019-2	LC50 inhalation	Non-applicable	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eve contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific NZYtech

legislation

CZ0168 - a-Mannosidase 92L, Bacteroides thetaiotaomicron

Date of compilation: 23/06/2020

Revised: 12/10/2023

Version: 2 (Replaced 1)

SECTION 4: FIRST AID MEASURES (continued)

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 **Environmental precautions:**

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

NZYtech

of	compilation: 23/06/2020	Revised: 12/10/20	23 Ve	ersion: 2 (Replace	d 1)			
ECT	ION 7: HANDLING AND	STORAGE (continue	ed)					
	to avoid the generatio	ble under normal condi n of electrostatic charg als that should be avoic ations on general occupa	es that can a led.	ffect flammable p				
	necessary safety cond equipment, especially	HOULD NOT BE EXPOS itions (emergency show on the hands and face (ss, washing hands afte tions to prevent environ	vers and eyev See section 8 rwards with s	vash stations in c). Limit manual tr	close proximity), ransfers to small	using perso	nal pro	tection
	It is recommended to h	nave absorbent materia	l available at o	close proximity to	the product (Se	e subsection	6.3)	
2	Conditions for safe stor	age, including any in	compatibiliti	es:				
	A Technical measures for	r storage						
	Store in a cool, dry, we	ell-ventilated location						
	B General conditions for	storage						
		radiation, static electric	ity and conta	ct with food. For a	additional inform	nation see sub	bsectio	n 10.5
3	Specific end use(s):							
	Except for the instructions	already specified it is n	ot necessary	to provide any sp	ecial recommen	dation regarc	ding the	e uses of this
	TON 8: EXPOSURE CON Control parameters: Substances whose occupa legislation):	tional exposure limits h	ave to be mor	itored in the wor			ountry-	specific
	TON 8: EXPOSURE CON Control parameters: Substances whose occupa	tional exposure limits h	ave to be mor	itored in the wor			ountry-	specific
	TON 8: EXPOSURE CON Control parameters: Substances whose occupa legislation): There are no applicable oc	tional exposure limits h	ave to be mor	nitored in the wor		:	ountry-	
1	TON 8: EXPOSURE CON Control parameters: Substances whose occupa legislation): There are no applicable oc	tional exposure limits h	ave to be mor	nitored in the wor	ed in the product	:	Long exp	
	TON 8: EXPOSURE CON Control parameters: Substances whose occupa legislation): There are no applicable oc DNEL (Workers): Identific Imidazole	tional exposure limits h	ave to be mor hits for the sul Oral	nitored in the wor postances containe Short Systemic Non-applicable	ed in the product exposure Local Non-applicable	I Systemi Non-applicabl	Long exp ic le M	oosure Local Ion-applicable
	TON 8: EXPOSURE CON Control parameters: Substances whose occupa legislation): There are no applicable oc DNEL (Workers): Identific Imidazole CAS: 288-32-4	tional exposure limits h	ave to be mor nits for the sul Oral Dermal	hitored in the wor ostances containe Short Systemic Non-applicable Non-applicable	ed in the product exposure Local Non-applicable Non-applicable	Systemi Non-applicabl 1,5 mg/kg	Long exp ic le M	Local Local Non-applicable
	TION 8: EXPOSURE CON Control parameters: Substances whose occupa legislation): There are no applicable oc DNEL (Workers): Identific Imidazole CAS: 288-32-4 EC: 206-019-2	tional exposure limits h cupational exposure lim	ave to be mor hits for the sul Oral	nitored in the wor postances containe Short Systemic Non-applicable	ed in the product exposure Local Non-applicable	I Systemi Non-applicabl	Long exp ic le M	oosure Local Ion-applicable
	TON 8: EXPOSURE CON Control parameters: Substances whose occupa legislation): There are no applicable oc DNEL (Workers): Identific Imidazole CAS: 288-32-4 EC: 206-019-2 DNEL (General populati	tional exposure limits h cupational exposure lim	ave to be mor nits for the sul Oral Dermal	hitored in the wor ostances containe Short Systemic Non-applicable Non-applicable	ed in the product exposure Local Non-applicable Non-applicable	Systemi Non-applicabl 1,5 mg/kg	Long exp ic le M	Local Local Non-applicable
	TON 8: EXPOSURE CON Control parameters: Substances whose occupa legislation): There are no applicable oc DNEL (Workers): Identific Imidazole CAS: 288-32-4 EC: 206-019-2 DNEL (General populati Non-applicable	tional exposure limits h cupational exposure lim	ave to be mor nits for the sul Oral Dermal	hitored in the wor ostances containe Short Systemic Non-applicable Non-applicable	ed in the product exposure Local Non-applicable Non-applicable	Systemi Non-applicabl 1,5 mg/kg	Long exp ic le M	Local Local Non-applicable
	TON 8: EXPOSURE CON Control parameters: Substances whose occupa legislation): There are no applicable oc DNEL (Workers): Identific Imidazole CAS: 288-32-4 EC: 206-019-2 DNEL (General populati Non-applicable PNEC:	tional exposure limits h cupational exposure lim	ave to be mor nits for the sul Oral Dermal	hitored in the wor ostances containe Short Systemic Non-applicable Non-applicable	ed in the product exposure Local Non-applicable Non-applicable	Systemi Non-applicabl 1,5 mg/kg	Long exp ic le M	Local Local Non-applicable
	ION 8: EXPOSURE CON Control parameters: Substances whose occupa legislation): There are no applicable oc DNEL (Workers): Identific Imidazole CAS: 288-32-4 EC: 206-019-2 DNEL (General populati Non-applicable PNEC: Identific	tional exposure limits h cupational exposure lim	oral Oral Inhalation	hitored in the wor ostances containe Short Non-applicable Non-applicable Non-applicable	ed in the product	Systemi Non-applicabl 1,5 mg/kg	Long exp ic le N	Local Local kon-applicable kon-applicable
	ION 8: EXPOSURE CON Control parameters: Substances whose occupa legislation): There are no applicable oc DNEL (Workers): Identific Imidazole CAS: 288-32-4 EC: 206-019-2 DNEL (General populati Non-applicable PNEC: Identific Imidazole	tional exposure limits h cupational exposure lim	oral Oral Inhalation	hitored in the wor postances container Short Non-applicable Non-applicable Non-applicable	ed in the product	Systemi Non-applicabl 1,5 mg/kg	Long exp ic e 	bosure Local kon-applicable kon-applicable kon-applicable mg/L
	ION 8: EXPOSURE CON Control parameters: Substances whose occupa legislation): There are no applicable oc DNEL (Workers): Identific Imidazole CAS: 288-32-4 EC: 206-019-2 DNEL (General populati Non-applicable PNEC: Identific	tional exposure limits h cupational exposure lim	oral Oral Inhalation	hitored in the wor ostances containe Short Non-applicable Non-applicable Non-applicable	ed in the product	I Systemi Non-applicabl 1,5 mg/kg 10,6 mg/m ³	Long exp ic e 	Local Local kon-applicable kon-applicable
	ION 8: EXPOSURE CON Control parameters: Substances whose occupa legislation): There are no applicable oc DNEL (Workers): Identific Imidazole CAS: 288-32-4 EC: 206-019-2 DNEL (General populati Non-applicable PNEC: Identific Imidazole CAS: 288-32-4	tional exposure limits h cupational exposure lim	Oral Oral Inhalation STP Soil	hitored in the wor postances container Systemic Non-applicable Non-applicable Non-applicable	ed in the product	Non-applicabl 1,5 mg/kg 10,6 mg/m ³	Long exp ic e 	toosure Local Ion-applicable Ion-applicable Ion-applicable Ion-applicable Ion-applicable Ion-applicable Ion-applicable
1	ION 8: EXPOSURE CON Control parameters: Substances whose occupa legislation): There are no applicable oc DNEL (Workers): Identific Imidazole CAS: 288-32-4 EC: 206-019-2 DNEL (General populati Non-applicable PNEC: Identific Imidazole CAS: 288-32-4	tional exposure limits h cupational exposure lim	Oral Oral Inhalation STP Soil Intermittent	itored in the wor ostances containe Short Non-applicable Non-applicable Non-applicable 10 mg/L 0,043 mg/kg 1,3 mg/L	ed in the product exposure Local Non-applicable Non-applicable Non-applicable Fresh water Marine water Sediment (Fres	Non-applicabl 1,5 mg/kg 10,6 mg/m ³	Long exp ic e 	Non-applicable Non-applicable Non-applicable Non-applicable
	ION 8: EXPOSURE CON Control parameters: Substances whose occupa legislation): There are no applicable oc DNEL (Workers): Identific Imidazole CAS: 288-32-4 EC: 206-019-2 DNEL (General populati Non-applicable PNEC: Identific Imidazole CAS: 288-32-4 EC: 06-019-2	tional exposure limits h cupational exposure lim ation	Oral Dermal Inhalation STP Soil Intermittent Oral	hitored in the wor ostances containe Short Non-applicable Non-applicable Non-applicable 10 mg/L 0,043 mg/kg 1,3 mg/L Non-applicable	ed in the product exposure Local Non-applicable Non-applicable Non-applicable Fresh water Marine water Sediment (Fres	Non-applicabl 1,5 mg/kg 10,6 mg/m ³	Long exp ic e 	Non-applicable Non-applicable Non-applicable Non-applicable

NZYtech

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

CZ0168 - a-Mannosidase 92L, Bacteroides thetaiotaomicron

FION		CONTROLS/PERSONA				
	Pictogram	PPE	Labelling	CEN Standard		Remarks
	Mandatory respiratory tract protection	Filter mask for gases and vapours	CAT III	EN 405:2002+A1:2010	c	place when there is a taste or smell of th contaminant inside the face mask. If the contaminant comes with warnings it is commended to use isolation equipment
C	Specific protection	n for the hands				
	Pictogram	PPE	Labelling	CEN Standard		Remarks
	Mandatory hand protection	Chemical protective gloves (Material: PVC, Breakthrough time: > 480 min, Thickness: 0.7 mm)		EN ISO 21420:2020	Rep	lace the gloves at any sign of deteriorati
D	Eye and face prot	ection				
	Pictogram	PPE	Labelling	CEN Standard		Remarks
	Mandatory face protection	Face shield		EN 166:2002 EN 167:2002 EN 168:2002 EN ISO 4007:2018		n daily and disinfect periodically accordin nanufacturer´s instructions. Use if there risk of splashing.
E	Body protection					
	Pictogram	PPE	Labelling	CEN Standard		Remarks
	Mandatory complete body protection	Disposable clothing for protection against chemical risks	CAT III	EN 13034:2005+A1:2009 EN 168:2002 EN ISO 13982- 1:2004/A1:2010 EN ISO 6529:2013 EN ISO 6530:2005 EN 464:1994	Fo	or professional use only. Clean periodical cording to the manufacturer's instructions
	Mandatory foot protection	Safety footwear for protection against chemical risk		EN ISO 20345:2011 EN 13832-1:2019	R	eplace boots at any sign of deterioration.
F	Additional emerge	ency measures				
	Emergency mea	asure St	andards	Emergency me	asure	Standards
	Emergency sho	ISO 3864-1:20	5I Z358-1 11, ISO 3864-4:20	011 Eyewash stat	ions	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:201:
Env	vironmental exp	osure controls:				
spill Vol Wit	lage of both the p atile organic con h regard to Direct V.O.C. (Supply): V.O.C. density at	oroduct and its container. mpounds: ive 2010/75/EU, this prod 0 % v 20 °C: 0 kg/m	For additional luct has the foll weight m ³ (0 g/L)	information see subse		nmended to avoid environmental .D
	Average carbon r	number: Non-a	applicable			

9.1 Information on basic physical and chemical properties:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

*Not relevant due to the nature of the product, not providing information property of its hazards.

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

CZ0168 - a-Mannosidase 92L, Bacteroides thetaiotaomicron

Section 9: PHYSICAL AND CHENICAL PROPERTIES (continued) For complete information see the product datasheet. Appearance: Physical state at 20 °C: Udud Appearance: Odour: Odour theshold: Not available Colour: Odour theshold: Odour theshold: Odour theshold: Non applicable * Valatiffy: Boiling point at atmospheric pressure: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Product description: Density at 20 °C: Non-applicable * Product description: Density at 20 °C: Non-applicable * Non-applicab	Date of compilation: 23/06/2020 Revised: 12/10/202	23 Version: 2 (Replaced 1)
Appearance: Liquid Physical state at 0 0°C: Not available: Colour: Not available: Solid: Not available: Valut: Not available: </th <th>SECTION 9: PHYSICAL AND CHEMICAL PROPERT</th> <th>TIES (continued)</th>	SECTION 9: PHYSICAL AND CHEMICAL PROPERT	TIES (continued)
Physical state at 20 °C:LiquidAppearance:Not availableAppearance:OdouriessColourOdouriessOdour threshold:OdouriessOdour threshold:Non-applicable *Display in at atmospheric pressure:Non-applicable *Vapour pressure at 20 °C:Non-applicable *Vapour pressure at 20 °C:Non-applicable *Product description:Non-applicable *Product description:Non-applicable *Relative density at 20 °C:Non-applicable *Non-applicable *Non-applicable *Relative density at 20 °C:Non-applicable *Relative density at 20 °C:Non-applicable *Rematic viscosity at 20 °C:Non-applicable *Rematic viscosity at 20 °C:Non-applicable *Prittion coefficient n-octanol/water 20 °C:Non-applicable *Prittion coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Prittion coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Protuct coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Autoigntion comperature:Non-applicable *Autoigntion temperature:Non-applicable *Remability (sliny):Non-applicable *Autoigntion temperature:Non-applicable *Autoigntion temperature:Non-applicable *Protect strater	For complete information see the product datashe	et.
Appearance: Not available Golour: Colourless Golour threshold: Okourless Hold Differ Non-applicable * Valour pressure at 20 °C: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Partice description: Non-applicable * Partice description: Non-applicable * Partice description: Non-applicable * Partice description: Non-applicable * Relative density at 20 °C: Non-applicable * Non-applicable * Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Concentration: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility invester at 20 °C: Non-applicable * Solubility invester at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility invester at 20 °C: Non-applicable * Solubility invester at 20 °C: Non-applicable * Partice in coefficient n-octanol/water 20 °C: Non-applicable * Internetint * Non-applicabl	Appearance:	
result Colourless Odour: Odourless Odour: Odourless Odour: Non-applicable * Outor: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Product description: III0,8 kg/m³ Product description: III0,8 kg/m³ Product description: Non-applicable * Product description: Non-applicable * Product description: Non-applicable * Relative density at 20 °C: Non-applicable * Rematic viscosity at 20 °C: Non-applicable * Concentration: Non-applicable * Product description: Non-applicable * Solubility in water at 20 °C: Non-appl	Physical state at 20 °C:	Liquid
OdourOdourlessOdour threshold:Non-applicable *Odour threshold:Non-applicable *Vability:Non-applicable *Vapour pressure at 20 °C:Non-applicable *Vapour pressure at 50 °C:Non-applicable *Protect description:Non-applicable *Relative density at 20 °C:Non-applicable *Relative density at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Non-applicable *Solubility in vater at 20 °C:Non-applicable *Non-applicable *Non-applicable *Solubility in vater at 20 °C:Non-applicable *Solubility in vater at 20 °C:Non-applicable *Solubility in vater at 20 °C:Non-applicable *Solubility inveter at 20 °C:Non-applicable *Non-applicable *Non-applicable *Solubility inveter at 20 °C:Non-applicable *Itamability (solid, gas):Non-applicable *Non-applicable *Non-applicable *Itamability (solid, gas):Non-applicable *Itamability (solid, gas):Non-applicable *Itage quivalent diameter:Non-applicable *Itage quivalent diameter:Non-applicable * <th>Appearance:</th> <th>Not available</th>	Appearance:	Not available
bdour threshold: Non-applicable * Volatiity: Non-applicable * Vapour pressure at 50 °C: Non-applicable * Product description: Non-applicable * Product description: 1110,8 kg/m² Product viscosity at 20 °C: Non-applicable * Non-applicable * Non-applicable * Non-applicable * Non-applicable * Concentration: Non-applicable * Prite viscosity at 20 °C: Non-applicable * Non-applicable * Non-applicable * Solubility in water at 20 °C: Non-applicable * Non-applicable * Non-applicable * Solubility in water at 20 °C: Non-applicable * Non-applicable * Non-applicable * Solubility in water at 20 °C: Non-applicable * I mambility (solid, gas): Non-applicable * <t< th=""><th>Colour:</th><th>Colourless</th></t<>	Colour:	Colourless
i Valeility: i Colling point at atomospheric pressure: Non-applicable * i Apour pressure at 20 °C: Non-applicable * i Vance pressure at 20 °C: Non-applicable * i Exporation rate at 20 °C: Non-applicable * i Proflet description: I10,8 kgm³ i Relative density at 20 °C: Non-applicable * i Rinematic viscosity at 20 °C: Non-applicable * i Rine point/freezing point: Non-applicable * i Rine point/freezing point: Non-applicable * i Rinematility (solid, qas): Non-applicable * i Rinematility (solid, qas): Non-applicable * i Runemability limit: Non-a	Odour:	Odourless
Boiling point at atmospheric pressure: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Product description: 110.18 kg/m³ Relative density at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Concentration: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Concentration: Non-applicable * Solubility in water at 20 °C: Non-applicable * Particion coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility intregeting point: Non-applicable * Lecoremposition temperature: Non-applicable * Lecoremposition temperature: Non-applicable * Lower flammability limit: <t< th=""><th>Odour threshold:</th><th>Non-applicable *</th></t<>	Odour threshold:	Non-applicable *
Vapour pressure at 20 °C: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Product description: 1110,8 kg/m³ Product description: 1,111 Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: Non-applicable * Concentration: Non-applicable * Prit: Ono-applicable * Vapour density at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: Non-applicable * Vapour density at 20 °C: Non-applicable * Prit: Non-applicable * Vapour density at 20 °C: Non-applicable * Prition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Decomposition temperature: Non-applicable * Pattion coefficient n-octanol/water 20 °C: Non-applicable * Heiting point/reczing point: Non-applicable * Solubility properties: Non-applicable * Heiting point/reczing point: Non-applicable * Upper flarmability limit: Non-applicable * Upper flarmabi	Volatility:	
Vapour pressure at 50 °C: Non-applicable * Vapour tot at 20 °C: Non-applicable * Product description: 110,8 kg/m³ Relative density at 20 °C: Non-applicable * Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Concentration: Non-applicable * Opcontention: Non-applicable * Pri: Non-applicable * Vapour density at 20 °C: Non-applicable * Pri: Non-applicable * Vapour density at 20 °C: Non-applicable * Pri: Non-applicable * Vapour density at 20 °C: Non-applicable * Vapour density at 20 °C: Non-applicable * Pri: Non-applicable * Vapour density at 20 °C: Non-applicable * Vapour density at 20 °C: Non-applicable * Price toractific: Non-applicable * Pri: Non-applicable * Vapour density (solid, gap): Non-applicable * Vation: Non-applicable * Vation: Non-applicable * Vation: Non-applicable * Vatorin:	Boiling point at atmospheric pressure:	Non-applicable *
Final Product description: In10,8 kg/m³ Product description: In10,8 kg/m³ Relative density at 20 °C: Non-applicable * Rinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: Non-applicable * Concentration: Non-applicable * Prit: 72 Yeapor density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility invater at 20 °C: Non-applicable * Solubility invortise: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility invortise: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Remachility: Non-applicable * Itamability invortise: Non-applicable * Itamability: Non-applicable * Itamability: Non-applicable * Itamability: Non-applicable * Itamability: Non-ap	Vapour pressure at 20 °C:	Non-applicable *
Product description: 1110,8 kg/m ³ Density at 20 °C: 111,11 Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: Non-applicable * Concentration: Non-applicable * PH: 7,2 Vapour density at 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Solubility properties: Non-applicable * Becomposition temperature: Non-applicable * Harmability: Non-applicable * Itop configurature:	Vapour pressure at 50 °C:	Non-applicable *
Density at 20 °C:1110.8 kg/m³Relative density at 20 °C:Non-applicable *Dynamic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Concentration:Non-applicable *Concentration:Non-applicable *PH:7.2Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Meting point/freezing point:Non-applicable *Hammability:Non-applicable *Hammability (solid, gas):Non Papplicable *Autoignition temperature:480 °CLover flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Hadian equivalent diameter:Non-applicable *Moriang properties:Non-applicable *Corising properties:Non-applicable *Corising properties:Non-applicable *Corising properties:Non-applicable *Autoign properties:Non-applicable *Autoign properties:Non-applicable		Non-applicable *
Relative density at 20 °C: 1,111 Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: Non-applicable * Concentration: Non-applicable * Dynamic viscosity at 20 °C: Non-applicable * PH: 72 Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Decomposition temperature: Non-applicable * Partite point/freezing point: Non-applicable * Immability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Immability (solid, gas): Non-applicable * Immability (solid, gaso	-	
Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: Non-applicable * Concentration: Non-applicable * Concentration: Non-applicable * PH: 7,2 Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Partition point: Non-applicable * Personposition temperature: Non-applicable * Partition temperature: Non-applicable * Iduignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Variande equivalent diameter: Non-applicable * Partice characteristics: Non-applicable * Variang rowritik regard to physical hazard classes: Non-applicable * Solubility indit: Non-applicable * Orosive properties: Non-applicable * <td< th=""><th></th><th>-</th></td<>		-
Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: Non-applicable * Concentration: Non-applicable * pH: 7.2 Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Flammability: Non-applicable * Flammability: Non-applicable * It durign foint temperature: Non-applicable * It durign divint temperature: Non-applicable * <	-	
Kinematic viscosity at 40 °C: Non-applicable * Concentration: Non-applicable * pH: 7,2 Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Metting point/freezing point: Non-applicable * Flammability: Non-applicable * I Hammability: Non-applicable * Kinig point/freezing point: Non-applicable * I Kating properties: Non-applicable * I Kating equivalent diameter: Non-applicable * I Katin		
Concentration: Non-applicable * pH: 7,2 Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility inporties: Non-applicable * Decomposition temperature: Non-applicable * Helting point/freezing point: Non-applicable * Flammability: Non-applicable * Itamability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Itamability (solid, gas): Non-applicable * Vuper flammability limit: Non-applicable * Itamability init: Non-applicable * Vuper flammability limit: Non-applicable * Vuorapplicable * Non-applicable * <tr< th=""><th></th><th></th></tr<>		
pH:7,2Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility properties:Non-applicable *Decomposition temperature:Non-applicable *Decomposition temperature:Non-applicable *Helting point/freezing point:Non-applicable *Flarmability:Non-applicable *Idiging point/freezing point:Non-applicable *Lower flarmability (solid, gas):Non-applicable *Lower flarmability limit:Non-applicable *Lower flarmability limit:Non-applicable *Upper flarmability limit:Non-applicable *Median equivalent diameter:Non-applicable *Information:Non-applicable *Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Oxidising properties:Non-applicable *Information:Non-applicable *Information:Non-applicable *Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Oxidising properties:Non-applicable *Oxidising properties:Non-applicable *Ideat of combustion:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammableNon-applicable *Ideat of combustion:Non-applicable *Ideat of combustion:Non-applicable *Ideat of combustion:Non-applicable *I		
Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Flarmability: Non-applicable * Flarmability (solid, gas): Non-applicable * Autoignition temperature: 480 °C Autoignition temperature: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Particle characteristics: Non-applicable * Information: Non-applicable * Particle characteristics: Non-applicable * Solubility inportenties: Non-applicable * Oxidising properties: Non-applicable * Corrosive to metals:<		
Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Metting point/freezing point: Non-applicable * Flammability: Non-applicable * Flammability: Non-applicable * Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Icower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Vertice characteristics: Non-applicable * Partice characteristics: Non-applicable * Information: Non-applicable * Solubility inperties: Non-applicable * Partice characteristics: Non-applicable * Information: Non-applicable * Solubility inperties: Non-applicable * Information: Non-applicable * <t< th=""><th></th><th></th></t<>		
Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Flammability: Non-applicable * Flammability: Non-applicable * Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Vertice characteristics: Non-applicable * Partice characteristics: Non-applicable * Information: Non-applicable * Solubility inproperties: Non-applicable * Information: Non-applicable * Solubility inproperties: Non-applicable * Information: Non-applicable * Solubility inproperties: Non-applicable * Information: <		
Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Flammability: Flammability: Flammability (solid, gas): Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: 480 °C Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Median equivalent diameter: Non-applicable * Median equivalent diameter: Non-applicable * Stapsive properties: Non-applicable * Oxidising properties: Non-applicable * Corrosive to metals: Non-applicable * Heat of combustion: Non-applicable * Heat of combustion: Non-applicable * Acrosols-total percentage (by mass) of flammable Non-applicable * Other safety characteristics: Non-applicable * Upper flammability inversion: Non-applicable *		
Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Hammability: Non-applicable * Flash Point: Non Flammabile (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: 480 °C Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Median equivalent diameter: Non-applicable * Median equivalent diameter: Non-applicable * Splosive properties: Non-applicable * Oxidising properties: Non-applicable * Oxidising properties: Non-applicable * Corrosive to metals: Non-applicable * Heat of combustion: Non-applicable * Aerosols-total percentage (by mass) of flammable components: Non-applicable * Uther safety characteristics: Non-applicable *		
Melting point/freezing point: Non-applicable * Flammability: Flammability: Flash Point: Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: 480 °C Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Vatiognition temperature: Non-applicable * Upper flammability limit: Non-applicable * Vation equivalent diameter: Non-applicable * Median equivalent diameter: Non-applicable * Information: Information: Explosive properties: Non-applicable * Oxidising properties: Non-applicable * Oxidising properties: Non-applicable * Vator or or or or ot etals: Non-applicable * Heat of combustion: Non-applicable * Aerosols-total percentage (by mass) of flammable Non-applicable * Other safety characteristics: Non-applicable *		
Flammability: Non Flammabile (>60 °C) Flash Point: Non-applicable * Flammability (solid, gas): Non-applicable * Autoignition temperature: 480 °C Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable Median equivalent diameter: Non-applicable Information: Information: Explosive properties: Non-applicable * Oxidising properties: Non-applicable * Oxidising properties: Non-applicable * Heat of combustion: Non-applicable * Heat of combustion: Non-applicable * Aerosols-total percentage (by mass) of flammable components: Non-applicable * Other safety characteristics: Non-applicable *		
Flash Point: Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: 480 °C Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable Median equivalent diameter: Non-applicable * Information: Information: Explosive properties: Non-applicable * Oxidising properties: Non-applicable * Corrosive to metals: Non-applicable * Heat of combustion: Non-applicable * Aerosols-total percentage (by mass) of flammable Non-applicable * Other safety characteristics: Non-applicable *		
Flammability (solid, gas): Non-applicable * Autoignition temperature: 480 °C Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable * Other information: Non-applicable * Explosive properties: Non-applicable * Oxidising properties: Non-applicable * Corrosive to metals: Non-applicable * Heat of combustion: Non-applicable * Aerosols-total percentage (by mass) of flammable components: Non-applicable * Other safety characteristics: Non-applicable *	-	Non Flammable (>60 °C)
Autoignition temperature: 480 °C Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable * Dther information: Non-applicable * Farformation: Non-applicable * Schoising properties: Non-applicable * Oxidising properties: Non-applicable * Faet of combustion: Non-applicable * Heat of combustion: Non-applicable * Aerosols-total percentage (by mass) of flammable components: Non-applicable * Uther safety characteristics: Non-applicable *		
Upper flammability limit:Non-applicable *Particle characteristics:Non-applicable *Median equivalent diameter:Non-applicableOther information:Non-applicable *Information with regard to physical hazard classerNon-applicable *Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *		
Particle characteristics:Median equivalent diameter:Non-applicable9.2Other information:Information with regard to physical hazard classerExplosive properties:Non-applicable *Oxidising properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *	Lower flammability limit:	Non-applicable *
Median equivalent diameter:Non-applicable9.2Other information:Information with regard to physical hazard classes:Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *	Upper flammability limit:	
9.2 Other information: Information with regard to physical hazard classes: Explosive properties: Non-applicable * Oxidising properties: Non-applicable * Corrosive to metals: Non-applicable * Heat of combustion: Non-applicable * Heat of combustion: Non-applicable * Aerosols-total percentage (by mass) of flammable Non-applicable * Other safety characteristics:	Particle characteristics:	
Information with regard to physical hazard classesExplosive properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *	Median equivalent diameter:	Non-applicable
Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Von-applicable *	9.2 Other information:	
Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *	Information with regard to physical hazard o	classes:
Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Von-applicable *	Explosive properties:	Non-applicable *
Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Von-applicable *	Oxidising properties:	Non-applicable *
Aerosols-total percentage (by mass) of flammable Non-applicable * components: Other safety characteristics:	Corrosive to metals:	Non-applicable *
components: Other safety characteristics:	Heat of combustion:	Non-applicable *
	components:	Non-applicable *
	-	Non-applicable *
*Not relevant due to the nature of the product, not providing information property of its hazards.		

Safety data sheet legislation

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific) NZYtech

CZ0168 - a-Mannosidase 92L, Bacteroides thetaiotaomicron

ate of c	compilation: 23/06/2020	Revised: 12/10/2023	Version: 2 (Replac	ed 1)	
SECT	Ton 9: Physical and	CHEMICAL PROPERTI	ES (continued)		
	Refraction index:		Non-applicable *		
	*Not relevant due to the nature of	of the product, not providing in	formation property of its hazards.		
SECT	TON 10: STABILITY AND	D REACTIVITY			
10.1	Reactivity:				
10.2	No hazardous reactions are Safety Data Sheet. Chemical stability:	expected because the p	product is stable under recor	nmended storage condit	ions. See section 7 from
	Chemically stable under the	e indicated conditions of	storage, handling and use.		
10.3	Possibility of hazardous	reactions:			
	Under the specified condition	ons, hazardous reactions	that lead to excessive temp	eratures or pressure are	not expected.
10.4	Conditions to avoid:				
	Applicable for handling and	l storage at room temper	ature:		
	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
10.5	Incompatible materials	ł			
10.5	Incompatible materials	Water	Oxidising materials	Combustible materials	Others

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: May damage the unborn child.


This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

CZ0168 - a-Mannosidase 92L, Bacteroides thetaiotaomicron

Date of c	ompilation: 23/06/2020	Revised: 12/10/2023	Version: 2 (Re	placed 1)		
SECT	ION 11: TOXICOLOGICAL	INFORMATION (continue	d)			
	E- Sensitizing effects:					
	 hazardous with sensitisin Skin: Based on availal hazardous for this effect F- Specific target organ toxi Based on available data, this effect. For more information 		on see section 3 ria are not met, ction 3. ot met, as it doe:	as it does not con	tain substances classi	fied as
	 Specific target organ f it does not contain subst Skin: Based on availal 	city (STOT)-repeated exposure toxicity (STOT)-repeated exposi tances classified as hazardous ble data, the classification crite c. For more information see see	sure: Based on a for this effect. F ria are not met,	For more information	tion see section 3.	
	Based on available data, this effect. For more info Other information :	the classification criteria are no ormation see section 3.	ot met, as it doe	s not contain sub	stances classified as ha	azardous for
	Non-applicable					
	Specific toxicology inform	nation on the substances:				
		Identification		Ac	ute toxicity	Genus
	Imidazole			LD50 oral	500 mg/kg (ATEi)	
	CAS: 288-32-4 EC: 206-019-2			LD50 dermal	>2000 mg/kg	
11.2	Information on other ha			LC50 inhalation	>5 mg/L	
	Endocrine disrupting propert Endocrine-disrupting propert Other information Non-applicable	ies: The product does not mee	t the criteria.			
SECT	ION 12: ECOLOGICAL IN	FORMATION				
Based For m	on available data, the classifi ore information see section 3 Toxicity:	ed to the eco-toxicological prop cation criteria are not met, as i 3.	-			or this effect.
	Not available					
12.2	Persistence and degradat	pility:				
	Not available					
12.3	Bioaccumulative potentia	l:				
	Not available					
12.4	Mobility in soil:					
	Not available					
12.5	Results of PBT and vPvB					
	Product does not meet PBT/					
12.6	Endocrine disrupting prop					
	Endocrine-disrupting propert					
12.7		ies: The product does not mee	t the criteria.			
	Other adverse effects:	les: The product does not mee	t the criteria.			
	Other adverse effects: Not described	les: The product does not mee	t the criteria.			

- CONTINUED ON NEXT PAGE -

Revised: 12/10/2023



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific 🚯 NZYtech

legislation

CZ0168 - a-Mannosidase 92L, Bacteroides thetaiotaomicron

Date of compilation: 23/06/2020

Revised: 12/10/2023

Version: 2 (Replaced 1)

Waste class (Regulation (EU) No

1357/2014)

Dangerous

SECTION 13: DISPOSAL CONSIDERATIONS 13.1 Waste treatment methods: Code Description It is not possible to assign a specific code, as it depends on the intended use by the user Type of waste (Regulation (EU) No 1357/2014): HP10 Toxic for reproduction

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:

	UN number or ID number:	Non-applicable
	UN proper shipping name: Transport hazard class(es):	Non-applicable Non-applicable
14.5	labels:	Non-applicable
14 4	Packing group:	Non-applicable
	Environmental hazards:	No
	Special precautions for user	
	Special regulations:	Non-applicable
	Tunnel restriction code:	Non-applicable
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
14.7	Maritime transport in bulk	Non-applicable
	according to IMO	
	instruments:	
Transpor	t of dangerous goods by sea:	
With rega	rd to IMDG 40-20:	
14.1	UN number or ID number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
	Marine pollutant:	No
14.6	Special precautions for user	
	Special regulations:	Non-applicable
	EmS Codes:	
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
	Segregation group:	Non-applicable
14.7	Maritime transport in bulk according to IMO	Non-applicable
	instruments:	
Transpo	rt of dangerous goods by air:	

Revised: 12/10/2023

Safety data sheet legislation

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific NZYtech

CZ0168 - a-Mannosidase 92L, Bacteroides thetaiotaomicron

Date of compilation:	23/06/2020 Revised: 12/	10/2023	Version: 2 (Replaced 1)
SECTION 14: T	RANSPORT INFORMATION (continued)	
With rega	ard to IATA/ICAO 2023:		
14.1	UN number or ID number:	Non-applicable	
14.2	UN proper shipping name:	Non-applicable	
14.3	Transport hazard class(es):	Non-applicable	
	Labels:	Non-applicable	
14.4	Packing group:	Non-applicable	
14.5	Environmental hazards:	No	
14.6	Special precautions for user		
	Physico-Chemical properties:	see section 9	
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable	

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Product classified hazardous under the CMR. Sale and distribution to the general public is prohibited. Due to its CMR category, it is essential to apply the specific measures for workplace hazard prevention covered in articles 4 and 5 of the 2004/37/EC Directive and later modifications.

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtravs.

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION **

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

** Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

CZ0168 - α-Mannosidase 92L, Bacteroides thetaiotaomicron

SECTION 16: OTHER INFORMATION ** (continued) COMMISSION REGULATION (EU) 2020/878 CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16): · Hazard statements Texts of the legislative phrases mentioned in section 2: H315: Causes skin irritation. H360D: May damage the unborn child. H319: Causes serious eye irritation. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Repr. 18: H360D - May damage the unborn child. Skin Corr. 1C: H314 - Causes series whin burns and eye damage. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://echa.europa.eu http://echa.europa.eu
CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):
 H315: Causes skin irritation. H360D: May damage the unborn child. H319: Causes serious eye irritation. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Repr. 1B: H360D - May damage the unborn child. Skin Corr. 1C: H314 - Causes severe skin burns and eye damage. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu
 The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Repr. 1B: H360D - May damage the unborn child. Skin Corr. 1C: H314 - Causes severe skin burns and eye damage. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu
 individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Repr. 1B: H360D - May damage the unborn child. Skin Corr. 1C: H314 - Causes severe skin burns and eye damage. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu
Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Repr. 1B: H360D - May damage the unborn child. Skin Corr. 1C: H314 - Causes severe skin burns and eye damage. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu
Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu
interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu
Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu
http://eur-lex.europa.eu
Abbroviations and acronyme
Abbreviations and acronyms:
ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor
LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient
LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

** Changes with regards to the previous version

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.