

CZ0440\_UG\_EN\_V2302

# α-Mannosidase 38A, Streptococcus pyogenes

# **SpMns38A (GH38)**

Catalogue number Presentation


CZ04401 1 mg CZ04402 3 x 1 mg

#### **Description**

 $\alpha$ -Mannosidase 38A (SpMns38A), assigned the E.C. number 3.2.1.-, is a derivative of Streptococcus pyogenes. It is a mannosyl-oligosaccharide 1,3- $\alpha$ -mannosidase. The recombinant SpMns38A, purified from Escherichia coli, is a single-domain Glycoside Hydrolase family 38 (GH38) enzyme (see more details at  $\underline{www.cazy.org}$ ). The protein is supplied in a solution containing 35 mM NaHepes buffer (pH 7.5), 750 mM NaCl, 200 mM Imidazole, 3.5 mM CaCl<sub>2</sub>, and 25% (v/v) glycerol, at a concentration of 1 mg/mL. Bulk quantities of this product can be made available upon request. To place an order, simply visit our website. We offer fast and secure shipping worldwide.

#### **Electrophoretic Purity**

The molecular integrity and purity of *Sp*Mns38A (GH38) were evaluated using sodium dodecyl sulfate-polyacrylamide gel electrophoresis (SDS-PAGE), followed by BlueSafe staining (MB15201) (Figure 1).



**Figure 1**. SDS-PAGE analysis of *Sp*Mns38A (GH38) was conducted in (Lane 1), employing a 14% polyacrylamide gel. The enzyme exhibits a band corresponding to a molecular weight of approximately 105,5 kDa. Lane M contains a Protein Marker for reference.

#### Storage temperature

The protein should be stored at -30°C to -15°C in a constant temperature freezer. The protein will remain stable till the expiry date if stored as specified.

#### **Substrate specificity**

SpMns38A (GH38) hydrolyses disaccharides, aryl glycosides and and mammalian high mannose N-glycans.

#### Temperature and pH optima

The pH optimum for enzymatic activity is 7 while temperature optimum is 37 °C.

## **Enzyme activity**

The substrate specificity and kinetic properties of *Sp*Mns38A (GH38) are detailed in the referenced publication provided below. To perform enzyme assays and determine specific activity values, adhere to the methodology outlined in the cited paper(s).

#### Reference

Suits et al. (2010) PLoS One. 5(2):e9006.

# **Customer Support**

Our dedicated customer support team is always ready to assist you with any questions or technical issues you may have. Reach us via email at info@nzytech.com.

## **Quality control assay**

Protein purity is determined to be ≥50%, as assessed by SDS-PAGE and subsequent BlueSafe staining (MB15201).

For life science research only. Not for use in diagnostic procedures.