

CZ0540\_UG\_EN\_V2302

# Alginate lyase 5A, Sphingomonas sp.

# SAlg5A (PL5)

Catalogue number Presentation


CZ05401 1 mg CZ05402 3 x 1 mg

## **Description**

Alginate lyase 5A (SAlg5A), assigned the E.C. number 4.2.2.3, is a derivative of Sphingomonas sp.. It is an enzyme that catalysis the degradation of alginate by a  $\beta$ -elimination mechanism. The recombinant SAlg5A, purified from Escherichia coli, is a single-domain Pectate Lyase family 5 (PL5) enzyme (see more details at  $\underline{www.cazy.org}$ ). The protein is supplied in a solution containing 35 mM NaHepes buffer (pH 7.5), 750 mM NaCl, 200 mM Imidazole, 3.5 mM  $CaCl_2$ , and 25% (v/v) glycerol, at a concentration of 1 mg/mL. Bulk quantities of this product can be made available upon request. To place an order, simply visit our website. We offer fast and secure shipping worldwide.

#### **Electrophoretic Purity**

The molecular integrity and purity of SAlg5A (PL5) were evaluated using sodium dodecyl sulfate-polyacrylamide gel electrophoresis (SDS-PAGE), followed by BlueSafe staining (MB15201) (Figure 1).



**Figure 1**. SDS-PAGE analysis of SAlg5A (PL5) was conducted in (Lane 1), employing a 14% polyacrylamide gel. The enzyme exhibits a band corresponding to a molecular weight of approximately 44,19 kDa. Lane M contains a Protein Marker for reference.

#### Storage temperature

The protein should be stored at -30°C to -15°C in a constant temperature freezer. The protein will remain stable till the expiry date if stored as specified.

#### **Substrate specificity**

 $SAlg5A\ (PL5)\ participates$  in the eliminative cleavage of polyguluronate and polymannuronate.

## Temperature and pH optima

The pH optimum for enzymatic activity is 8 while temperature optimum is 30  $^{\circ}\text{C}.$ 

# **Enzyme activity**

The substrate specificity and kinetic properties of SAlg5A (PL5) are detailed in the referenced publication provided below. To perform enzyme assays and determine specific activity values, adhere to the methodology outlined in the cited paper(s).

#### Reference

Yoon et al. (2000) Protein Expr Purif. 19(1):84-90.

Yamasaki et al. (2005) Acta Crystallogr Sect F Struct Biol Cryst Commun. 61(Pt 3): 288–290.

Coelho et al. (2019) Sci Rep. 9(1):5382.

# **Customer Support**

Our dedicated customer support team is always ready to assist you with any questions or technical issues you may have. Reach us via email at info@nzytech.com.

#### **Quality control assay**

Protein purity is determined to be ≥90%, as assessed by SDS-PAGE and subsequent BlueSafe staining (MB15201).

For life science research only. Not for use in diagnostic procedures.