

CZ0694\_UG\_EN\_V2302

# **β-Mannosidase 1B**, Pyrococcus furiosus

# PfMns1B (GH1)


Catalogue numberPresentationCZ069410.25 mgCZ069423 x 0.25 mg

#### Description

β-Mannosidase 1B (*Pf*Mns1B), assigned the E.C. number 3.2.1.25, is a derivative of *Pyrococcus furiosus*. It is an exo-1,4-β-mannosidase that removes mannose residues from the non-reducing ends of oligosaccharides. The recombinant *Pf*Mns1B, purified from *Escherichia coli*, is a single-domain Glycoside Hydrolase family 1 (GH1) enzyme (see more details at <a href="https://www.cazy.org">www.cazy.org</a>). The protein is supplied in a solution containing 35 mM NaHepes buffer (pH 7.5), 750 mM NaCl, 200 mM Imidazole, 3.5 mM CaCl<sub>2</sub>, and 25% (v/v) glycerol, at a concentration of 0.25 mg/mL. Bulk quantities of this product can be made available upon request. To place an order, simply visit our website. We offer fast and secure shipping worldwide.

#### **Electrophoretic Purity**

The molecular integrity and purity of *Pf*Mns1B (GH1) were evaluated using sodium dodecyl sulfate-polyacrylamide gel electrophoresis (SDS-PAGE), followed by BlueSafe staining (MB15201) (Figure 1).



**Figure 1**. SDS-PAGE analysis of *Pf*Mns1B (GH1) was conducted in (Lane 1), employing a 14% polyacrylamide gel. The enzyme exhibits a band corresponding to a molecular weight of approximately 58,42 kDa. Lane M contains a Protein Marker for reference.

#### Storage temperature

The protein should be stored at -30°C to -15°C in a constant temperature freezer. The protein will remain stable till the expiry date if stored as specified.

#### **Substrate specificity**

PfMns1B (GH1) hydrolyses mannans and mannan oligosaccharides.

#### Temperature and pH optima

The pH optimum for enzymatic activity is 5 while temperature optimum is 90  $^{\circ}$ C.

# **Enzyme activity**

The substrate specificity and kinetic properties of *Pf*Mns1B (GH1) are detailed in the referenced publication provided below. To perform enzyme assays and determine specific activity values, adhere to the methodology outlined in the cited paper(s).

#### Reference

Kaper et al. (2001) Methods Enzymol. 330:329-46.

# **Customer Support**

Our dedicated customer support team is always ready to assist you with any questions or technical issues you may have. Reach us via email at info@nzytech.com.

# **Quality control assay**

Protein purity is determined to be ≥90%, as assessed by SDS-PAGE and subsequent BlueSafe staining (MB15201).

For life science research only. Not for use in diagnostic procedures.