

CZ0855\_UG\_EN\_V2302

# β-Glucuronidase 2A, Bacteroides thetaiotaomicron

# BtGus2A (GH2)


Catalogue number	Presentation
CZ08551	1 mg
CZ08552	3 x 1 mg

## Description

 $\beta$ -Glucuronidase 2A (*Bt*Gus2A), assigned the E.C. number 3.2.1.31, is a derivative of *Bacteroides thetaiotaomicron*. It is a  $\beta$ -glucuronidase. The recombinant *Bt*Gus2A, purified from *Escherichia coli*, is a single-domain Glycoside Hydrolase family 2 (GH2) enzyme (see more details at <u>www.cazy.org</u>). The protein is supplied in a solution containing 35 mM NaHepes buffer (pH 7.5), 750 mM NaCl, 200 mM Imidazole, 3.5 mM CaCl<sub>2</sub>, and 25% (v/v) glycerol, at a concentration of 1 mg/mL. Bulk quantities of this product can be made available upon request. To place an order, simply visit our website. We offer fast and secure shipping worldwide.

## **Electrophoretic Purity**

The molecular integrity and purity of *Bt*Gus2A (GH2) were evaluated using sodium dodecyl sulfate-polyacrylamide gel electrophoresis (SDS-PAGE), followed by BlueSafe staining (MB15201) (Figure 1).



**Figure 1**. SDS-PAGE analysis of *Bt*Gus2A (GH2) was conducted in (Lane 1), employing a 14% polyacrylamide gel. The enzyme exhibits a band corresponding to a molecular weight of approximately 112,7 kDa. Lane M contains a Protein Marker for reference.

## Storage temperature

The protein should be stored at -30°C to -15°C in a constant temperature freezer. The protein will remain stable till the expiry date if stored as specified.

## Substrate specificity

*Bt*Gus2A (GH2) hydrolyses the D-Glc-β-D-GalA linkage in rhamnogalacturonan I (RGI).

# Temperature and pH optima

The enzyme exhibits optimal activity within a pH range of 6.5-7.5 and at a temperature of 37°C. Maximal enzymatic activity is achieved at pH 7 and a consistent temperature of 37°C.

# **Enzyme activity**

The substrate specificity and kinetic properties of *Bt*Gus2A (GH2) are detailed in the referenced publication provided below. To perform enzyme assays and determine specific activity values, adhere to the methodology outlined in the cited paper(s).

## Reference

Luis et al. (2018) Nat Microbiol. 3(2):210-219.

# **Customer Support**

Our dedicated customer support team is always ready to assist you with any questions or technical issues you may have. Reach us via email at info@nzytech.com.

# **Quality control assay**

Protein purity is determined to be ≥90%, as assessed by SDS-PAGE and subsequent BlueSafe staining (MB15201).

For life science research only. Not for use in diagnostic procedures.

NZYtech Lda. Estrada do Paço do Lumiar, Campus do Lumiar - Edifício E, R/C, 1649-038 Lisboa, Portugal Tel.:+351.213643514 Fax: +351.217151168 www.nzytech.com