

CZ0889_UG_EN_V2302

Carbohydrate Binding Module 47A, Streptococcus mitis

(CBM47)

Catalogue number Presentation

CZ08891 1 mg CZ08892 3 x 1 mg

Description

Carbohydrate Binding Module 47A (CBM47) is a Carbohydrate Binding Protein originating from *Streptococcus mitis*. The recombinant CBM47, purified from *Escherichia coli*, is a single-domain protein belonging to the Carbohydrate Binding Module family 47 (CBM47, see more details at www.cazy.org). The protein is supplied in a solution containing 35 mM NaHepes buffer (pH 7.5), 750 mM NaCl, 200 mM Imidazole, 3.5 mM CaCl₂, and 25% (v/v) glycerol, at a concentration of 1 mg/mL. Bulk quantities of this product can be made available upon request. To place an order, simply visit our website. We offer fast and secure shipping worldwide.

Electrophoretic Purity

The molecular integrity and purity of CBM47 were evaluated using sodium dodecyl sulfate-polyacrylamide gel electrophoresis (SDS-PAGE), followed by BlueSafe staining (MB15201) (Figure 1).




Figure 1. SDS-PAGE analysis of CBM47 was conducted in (Lane 1), employing a 14% polyacrylamide gel. The enzyme exhibits a band corresponding to a molecular weight of approximately 18,91 kDa. Lane M contains a Protein Marker for reference.

Storage temperature

The protein should be stored at -30°C to -15°C in a constant temperature freezer. The protein will remain stable till the expiry date if stored as specified.

Ligand specificity

CBM47 binds to fucose containing oligosaccharides. The biochemical properties of CBM47 are detailed in the referenced publication(s) provided below.

Reference

Lawrence et al. (2012) Front Immunol. 3:330.

PDB/3D code: 4GWI[A], 4GWJ[A].

Customer Support

Our dedicated customer support team is always ready to assist you with any questions or technical issues you may have. Reach us via email at info@nzytech.com.

Quality control assay

Protein purity is determined to be ≥90%, as assessed by SDS-PAGE and subsequent BlueSafe staining (MB15201).

For life science research only. Not for use in diagnostic procedures.