

CZ1001\_UG\_EN\_V2302

# Cellulase 9C, Clostridium clariflavum

# CcCel9C (GH9-CBM3-doc-doc)


Catalogue numberPresentationCZ100110.5 mgCZ100123 x 0.5 mg

# **Description**

Cellulase 9C (*Cc*Cel9C), assigned the E.C. number 3.2.1.4, is a derivative of *Clostridium clariflavum*. It is an endo-1,4-β-glucanase. The recombinant *Cc*Cel9C, purified from *Escherichia coli*, is a modular Glycoside Hydrolase family 9 (GH9-CBM3-doc-doc) enzyme (see more details at <a href="https://www.cazy.org">www.cazy.org</a>). The protein is supplied in a solution containing 35 mM NaHepes buffer (pH 7.5), 750 mM NaCl, 200 mM Imidazole, 3.5 mM CaCl<sub>2</sub>, and 25% (v/v) glycerol, at a concentration of 0.5 mg/mL. Bulk quantities of this product can be made available upon request. To place an order, simply visit our website. We offer fast and secure shipping worldwide.

#### **Electrophoretic Purity**

The molecular integrity and purity of *Cc*Cel9C (GH9-CBM3-doc-doc) were evaluated using sodium dodecyl sulfate-polyacrylamide gel electrophoresis (SDS-PAGE), followed by BlueSafe staining (MB15201) (Figure 1).



**Figure 1**. SDS-PAGE analysis of *Cc*Cel9C (GH9-CBM3-doc-doc) was conducted in (Lane 1), employing a 14% polyacrylamide gel. The enzyme exhibits a band corresponding to a molecular weight of approximately 77,96 kDa. Lane M contains a Protein Marker for reference.

#### Storage temperature

The protein should be stored at -30°C to -15°C in a constant temperature freezer. The protein will remain stable till the expiry date if stored as specified.

#### **Substrate specificity**

CcCel9C (GH9-CBM3-doc-doc) hydrolyses cellulose and microcrystalline cellulose.

# Temperature and pH optima

The pH optimum for enzymatic activity is 5.5 while temperature optimum is 60 °C.

# **Enzyme activity**

The substrate specificity and kinetic properties of *Cc*Cel9C (GH9-CBM3-doc-doc) are detailed in the referenced publication provided below. To perform enzyme assays and determine specific activity values, adhere to the methodology outlined in the cited paper(s).

#### Reference

Artzi et al. (2014) Biotechnol Biofuels. 7: 100.

Artzi et al. (2015) MBio. 6(3):e00411-15.

### **Customer Support**

Our dedicated customer support team is always ready to assist you with any questions or technical issues you may have. Reach us via email at info@nzytech.com.

# **Quality control assay**

Protein purity is determined to be ≥50%, as assessed by SDS-PAGE and subsequent BlueSafe staining (MB15201).

For life science research only. Not for use in diagnostic procedures.