

Date of compilation: 06/01/2020 Revised: 13/12/2023 Version: 3 (Replaced 2)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

MB15201 - BlueSafe

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Laboratory. For professional users only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

NZYtech, Lda Estrada do Paco do Lumiar Campus do Lumiar - Edif. E, r/c 1649-038 Lisboa - Lisboa - Portugal Phone: +351 213643514 info@nzytech.com www.nzytech.com

1.4 Emergency telephone number: Contact Local Poison Information Center or Local Emergency Number

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Hazard statements:

Non-applicable

Precautionary statements:

Non-applicable

Supplementary information:

EUH210: Safety data sheet available on request.

2.3 Other hazards:

Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture of substances

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| | Identification | Chemical name/Classification | | | Concentration |
|-----------|---|--------------------------------|---|-----------------|---------------|
| CAS: | | Phosphoric acid ⁽¹⁾ | | Self-classified | |
| Index: | 231-633-2 015-011-00-6 01-2119485924-24- XXXX | Regulation 1272/2008 | Acute Tox. 4: H302; Eye Dam. 1: H318; Met. Corr. 1: H290; Skin Corr. 1B: H314 Danger | | 2,5 - <10 % |
| (1) Subst | 1) Substances presenting a health or environmental bazard which meet criteria laid down in Regulation (FU) No. 2020/878 | | | | |

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 ⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

** Changes with regards to the previous version



SE

MB15201 - BlueSafe

Date of compilation: 06/01/2020 Revised: 13/12/2023 Version: 3 (Replaced 2)

| ECTI | TION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued) | | | | | |
|------|--|------------------------|------------------------------|---------------|--|--|
| | Identification | | Chemical name/Classification | Concentration | | |
| | | ethanol ⁽²⁾ | ATP CLP00 | | | |
| | EC: 200-578-6 Index: 603-002-00-5 REACH: 01-2119457610-43- XXXX | Regulation 1272/2008 | Flam. Liq. 2: H225 - Danger | 2,5 - <10 % | | |

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

| Identification | Specific concentration limit |
|---------------------------------|--|
| CAS: 7664-38-2 EC: 231-633-2 | % (w/w) >=25: Skin Corr. 1B - H314 10<= % (w/w) <25: Skin Irrit. 2 - H315 % (w/w) >=25: Eye Dam. 1 - H318 10<= % (w/w) <25: Eye Irrit. 2 - H319 |

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. **Unsuitable extinguishing media:**

IT IS DECOMMENDED NOT to use full ist water as an auti

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.



Date of compilation: 06/01/2020

Version: 3 (Replaced 2)

SECTION 5: FIREFIGHTING MEASURES (continued)

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Revised: 13/12/2023

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks


It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage
 - Store in a cool, dry, well-ventilated location
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):





Date of compilation: 06/01/2020

Version: 3 (Replaced 2)

SECTION 7: HANDLING AND STORAGE (continued)

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Revised: 13/12/2023

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

| Identification | Occupational exposure limits | | |
|------------------------------|------------------------------|---------------------|--|
| Phosphoric acid | IOELV (8h) | 1 mg/m ³ | |
| CAS: 7664-38-2 EC: 231-633-2 | IOELV (STEL) | 2 mg/m ³ | |

DNEL (Workers):

| | | Short exposure | | Long exposure | |
|-----------------|------------|----------------|---------------------|------------------------|---------------------|
| Identification | | Systemic | Local | Systemic | Local |
| Phosphoric acid | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 7664-38-2 | Dermal | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| EC: 231-633-2 | Inhalation | Non-applicable | 2 mg/m ³ | 10,7 mg/m ³ | 1 mg/m ³ |
| ethanol | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 64-17-5 | Dermal | Non-applicable | Non-applicable | 343 mg/kg | Non-applicable |
| EC: 200-578-6 | Inhalation | Non-applicable | Non-applicable | 950 mg/m ³ | Non-applicable |

DNEL (General population):

| | _ | Short e | xposure | Long e | xposure |
|-----------------|------------|----------------|----------------|------------------------|------------------------|
| Identification | | Systemic | Local | Systemic | Local |
| Phosphoric acid | Oral | Non-applicable | Non-applicable | 0,1 mg/kg | Non-applicable |
| CAS: 7664-38-2 | Dermal | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| EC: 231-633-2 | Inhalation | Non-applicable | Non-applicable | 4,57 mg/m ³ | 0,36 mg/m ³ |
| ethanol | Oral | Non-applicable | Non-applicable | 87 mg/kg | Non-applicable |
| CAS: 64-17-5 | Dermal | Non-applicable | Non-applicable | 206 mg/kg | Non-applicable |
| EC: 200-578-6 | Inhalation | Non-applicable | Non-applicable | 114 mg/m ³ | Non-applicable |

PNEC:

| Identification | | | | |
|----------------|--------------|------------|-------------------------|-----------|
| ethanol | STP | 580 mg/L | Fresh water | 0,96 mg/L |
| CAS: 64-17-5 | Soil | 0,63 mg/kg | Marine water | 0,79 mg/L |
| EC: 200-578-6 | Intermittent | 2,75 mg/L | Sediment (Fresh water) | 3,6 mg/kg |
| | Oral | 0,38 g/kg | Sediment (Marine water) | 2,9 mg/kg |

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

Revised: 13/12/2023

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

Version: 3 (Replaced 2)

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands



| CTI | ON 8: EXPOSURE | CONTROLS/PERSC | NAL PROTECTI | ON (continued) | | |
|-----|--|--|---|--|-------------------------|---|
| | | | | | | |
| | Pictogram | PPE | Labelling | CEN Standard | | Remarks |
| | Mandatory hand protection | Protective gloves agains minor risks | st CAT I | | prolor profess CE | e gloves in case of any sign of damage. Fo ged periods of exposure to the product fo ional users/industrials, we recommend usin III gloves in line with standards EN ISO 0:2020 and EN ISO 374-1:2016+A1:2018 |
| | | | | | erial car | not be calculated in advance with |
| | | d has therefore to be | checked prior to th | e application. | | |
| | D Eye and face pro | | | | - | |
| | Pictogram | PPE | Labelling | CEN Standard | | Remarks |
| | Mandatory face protection | Panoramic glasses again splash/projections. | ist CAT II | EN 166:2002 EN ISO 4007:2018 | | daily and disinfect periodically according t anufacturer 's instructions. Use if there is a risk of splashing. |
| | E Body protection | • | | | | |
| | Pictogram | PPE | Labelling | CEN Standard | | Remarks |
| | | Work clothing | CATI | | perioc recom | te before any evidence of deterioration. Fc is of prolonged exposure to the product fo professional/industrial users CE III is mended, in accordance with the regulatior SO 6529:2013, EN ISO 6530:2005, EN ISI 13688:2013, EN 464:1994. |
| | | Anti-slip work shoes | CAT II | EN ISO 20347:2012 | perioc recom | te before any evidence of deterioration. For is of prolonged exposure to the product fo professional/industrial users CE III is mended, in accordance with the regulation EN ISO 20345:2012 y EN 13832-1:2007 |
| | | | | | | |
| | F Additional emerge | ency measures | | | | |
| | Emergency me | - | Standards | Emergency measure | ure | Standards |
| | Emergency me | ISO 3864-1 | Standards ANSI Z358-1 1:2011, ISO 3864-4:20: | • | | Standards DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 |
| | Emergency me Emergency shi Emergency shi Environmental exp In accordance with t spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): | asure ISO 3864-1 ower ISO 3864-1 bosure controls: he community legislati product and its contain product and product and produ | ANSI Z358-1 1:2011, ISO 3864-4:20 ion for the protectioner. For additional i product has the fol 5 % weight | Eyewash station on of the environment it nformation see subsectio owing characteristics: | is recor | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental |
| | Emergency me Emergency shi Emergency shi Environmental exp In accordance with ti spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at | asure ISO 3864-1 ower boosure controls: he community legislati product and its contain pmpounds: tive 2010/75/EU, this p 2, 20 °C: 26 | ANSI Z358-1 1:2011, ISO 3864-4:20 ion for the protectioner. For additional i | Eyewash station on of the environment it nformation see subsectio owing characteristics: | is recor | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental |
| | Emergency me Emergency shut Emergency shut Environmental exp In accordance with the spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r | asure ISO 3864-1 ower ISO 3864-1 bosure controls: he community legislation orduct and its contain ompounds: tive 2010/75/EU, this p 2, 20 °C: 26 number: 2 | ANSI Z358-1 1:2011, ISO 3864-4:20 ion for the protectioner. For additional i product has the foll 5 % weight 5,19 kg/m ³ (26,19 | Eyewash station on of the environment it nformation see subsectio owing characteristics: | is recor | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental |
| | Emergency me Emergency shi Emergency shi Environmental exp In accordance with ti spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at | asure ISO 3864-1 ower ISO 3864-1 bosure controls: he community legislation orduct and its contain ompounds: tive 2010/75/EU, this p 2, 20 °C: 26 number: 2 | ANSI Z358-1 1:2011, ISO 3864-4:20 ion for the protectioner. For additional i product has the fol 5 % weight | Eyewash station on of the environment it nformation see subsectio owing characteristics: | is recor | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental |
| | Emergency me Emergency shut Emergency shut In accordance with the spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula | asure ISO 3864-1 ower ISO 3864-1 bosure controls: he community legislation orduct and its contain ompounds: tive 2010/75/EU, this p 2, 20 °C: 26 humber: 2 ar weight: 46 | ANSI Z358-1 1:2011, ISO 3864-4:20 ion for the protectioner. For additional i product has the foll 5 % weight 5,19 kg/m ³ (26,19 5,1 g/mol | Eyewash station on of the environment it nformation see subsectio owing characteristics: | is recor | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental |
| CTI | Emergency me Emergency shut Emergency shut Emergency shut In accordance with the spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon or Average molecula | asure ISO 3864-1 ower ISO 3864-1 Dosure controls: the community legislation orduct and its contain orduct and its | ANSI Z358-1 1:2011, ISO 3864-4:20 ion for the protectioner. For additional i product has the foll 5 % weight 5,19 kg/m ³ (26,19 5,1 g/mol OPERTIES | 11 Eyewash station con of the environment it information see subsection owing characteristics: g/L) | is recor | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental |
| CTI | Emergency me Emergency sh Environmental exp In accordance with the spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon re Average molecula | ISO 3864-1 ower Dosure controls: he community legislati product and its contain product and | ANSI Z358-1 1:2011, ISO 3864-4:20 ion for the protection ion for the | 11 Eyewash station con of the environment it information see subsection owing characteristics: g/L) | is recor | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental |
| CTI | Emergency me Emergency shu Emergency shu Environmental exp In accordance with the spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula CON 9: PHYSICAL Information on ba For complete information | asure ISO 3864-1 ower ISO 3864-1 Dosure controls: the community legislation orduct and its contain orduct and its | ANSI Z358-1 1:2011, ISO 3864-4:20 ion for the protection ion for the | 11 Eyewash station con of the environment it information see subsection owing characteristics: g/L) | is recor | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental |
| CTI | Emergency me Emergency sh Environmental exp In accordance with t spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula Information on ba For complete informa Appearance: | asure ISO 3864-1 ower ISO 3864-1 Dosure controls: the community legislation of the community legislation of the contain of the | ANSI Z358-1 1:2011, ISO 3864-4:20: ion for the protectioner. For additional i product has the foll 5 % weight 5,19 kg/m ³ (26,19 5,1 g/mol OPERTIES Emical properties datasheet. | 11 Eyewash station con of the environment it environment it nformation see subsection owing characteristics: g/L) iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii | is recor | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental |
| CTI | Emergency me Emergency sh Environmental exp In accordance with the spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula Information on ba For complete information Appearance: Physical state at 20 C | asure ISO 3864-1 ower ISO 3864-1 Dosure controls: the community legislation of the community legislation of the contain of the | ANSI Z358-1 1:2011, ISO 3864-4:20: ion for the protectioner. For additional i product has the foll 5 % weight 5,19 kg/m ³ (26,19 5,1 g/mol OPERTIES Emical properties datasheet. | 11 Eyewash station con of the environment it Eyewash station owing characteristics: g/L) :: d | is recor | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental |
| CTI | Emergency me Emergency sh Environmental exp In accordance with t spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula Information on ba For complete informa Appearance: | asure ISO 3864-1 ower ISO 3864-1 Dosure controls: the community legislation of the community legislation of the contain of the | ANSI Z358-1 1:2011, ISO 3864-4:20: ion for the protectioner. For additional i product has the foll 5 % weight 5,19 kg/m ³ (26,19 5,1 g/mol OPERTIES Emical properties datasheet. | 11 Eyewash station con of the environment it environment it nformation see subsection owing characteristics: g/L) iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii | is recor | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental |

Odour: Odourless

*Not relevant due to the nature of the product, not providing information property of its hazards.



Revised: 13/12/2023

Date of compilation: 06/01/2020

Version: 3 (Replaced 2)

| SECT | TION 9: PHYSICAL AND CHEMICAL PROPERTIE | S (continued) |
|------|--|----------------------------------|
| | Odour threshold: | Non-applicable * |
| | Volatility: | |
| | Boiling point at atmospheric pressure: | 99 °C |
| | Vapour pressure at 20 °C: | 2394 Pa |
| | Vapour pressure at 50 °C: | 12574,33 Pa (12,57 kPa) |
| | Evaporation rate at 20 °C: | Non-applicable * |
| | Product description: | |
| | Density at 20 °C: | 1047,5 kg/m ³ |
| | Relative density at 20 °C: | 1,048 |
| | Dynamic viscosity at 20 °C: | >1,15 cP |
| | Kinematic viscosity at 20 °C: | 1,1 mm²/s |
| | Kinematic viscosity at 40 °C: | Non-applicable * |
| | Concentration: | Non-applicable * |
| | pH: | Non-applicable * |
| | Vapour density at 20 °C: | Non-applicable * |
| | Partition coefficient n-octanol/water 20 °C: | Non-applicable * |
| | Solubility in water at 20 °C: | Non-applicable * |
| | Solubility properties: | Non-applicable * |
| | Decomposition temperature: | Non-applicable * |
| | Melting point/freezing point: | Non-applicable * |
| | Flammability: | |
| | Flash Point: | ≈60 - 94 ºC |
| | Flammability (solid, gas): | Non-applicable * |
| | Autoignition temperature: | 423 °C |
| | Lower flammability limit: | Non-applicable * |
| | Upper flammability limit: | Non-applicable * |
| | Particle characteristics: | |
| | Median equivalent diameter: | Non-applicable |
| 9.2 | Other information: | |
| | Information with regard to physical hazard clas | |
| | Explosive properties: | Non-applicable * |
| | Oxidising properties: | Non-applicable * |
| | Corrosive to metals: | Non-applicable * |
| | Heat of combustion: | Non-applicable * |
| | Aerosols-total percentage (by mass) of flammable components: Other safety characteristics: | Non-applicable * |
| | Surface tension at 20 °C: | Non-applicable * |
| | Refraction index: | Non-applicable * |
| | *Not relevant due to the nature of the product, not providing info | rmation property of its hazards. |

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.



Date of compilation: 06/01/2020

Version: 3 (Replaced 2)

SECTION 10: STABILITY AND REACTIVITY (continued)

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

Revised: 13/12/2023

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|--------------------|------------------|-------------------------|------------|----------------|
| Not applicable | Not applicable | Precaution | Precaution | Not applicable |
| | | | | |

10.5 Incompatible materials:

| Acids | Water | Oxidising materials | Combustible materials | Others |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable | Avoid alkalis or strong bases |

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION **

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: ethanol (1)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

** Changes with regards to the previous version



Date of compilation: 06/01/2020 Revised: 13/12/2023 Version: 3 (Replaced 2)

SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as

hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

| Identification | Acut | Genus | |
|-----------------|-----------------|------------------|--------|
| Phosphoric acid | LD50 oral | 1250 mg/kg | Mouse |
| CAS: 7664-38-2 | LD50 dermal | 2740 mg/kg | Rabbit |
| EC: 231-633-2 | LC50 inhalation | >5 mg/L | |
| ethanol | LD50 oral | 6200 mg/kg | Rat |
| CAS: 64-17-5 | LD50 dermal | 20000 mg/kg | Rabbit |
| EC: 200-578-6 | LC50 inhalation | 124,7 mg/L (4 h) | Rat |

Acute Toxicity Estimate (ATE mix):

| ATE mix | | Ingredient(s) of unknown toxicity |
|---|-------------------------------------|-----------------------------------|
| Oral 25000 mg/kg (Calculation method) | | 0 % |
| Dermal >2000 mg/kg (Calculation method) | | Non-applicable |
| Inhalation | >20 mg/L (4 h) (Calculation method) | Non-applicable |

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Non-applicable

** Changes with regards to the previous version

SECTION 12: ECOLOGICAL INFORMATION **

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Toxicity:

Acute toxicity:

| Identification | | Concentration | Species | Genus |
|-------------------|------|-------------------|------------------------|------------|
| ethanol | LC50 | 11000 mg/L (96 h) | Alburnus alburnus | Fish |
| CAS: 64-17-5 | EC50 | 9268 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 200-578-6 | EC50 | 1450 mg/L (192 h) | Microcystis aeruginosa | Algae |
| Chronic toxicity: | | | - | |
| Identification | | Concontration | Enocios | Conus |

| Identification | | Concentration | Species | Genus | |
|----------------------------|------|---------------|--------------------|------------|--|
| ethanol | NOEC | 250 mg/L | Danio rerio | Fish | |
| CAS: 64-17-5 EC: 200-578-6 | NOEC | 2 mg/L | Ceriodaphnia dubia | Crustacean | |

** Changes with regards to the previous version



| 2.2 | Persistence and degradability: | | | | | | |
|------|--------------------------------------|-----------------------|-----------------------|-------------|------------------|-----------|--------------------------------|
| | Substance-specific information: | | | | | | |
| | Identification | | Degradability | | Biodegradability | | |
| | ethanol | BOD5 | Non-applicable | Conc | entration | | 100 mg/L |
| | CAS: 64-17-5 | COD | Non-applicable | Perio | d | | 14 days |
| | EC: 200-578-6 | BOD5/COD | Non-applicable | % Bi | odegradable | | 89 % |
| 2.3 | Bioaccumulative potential: | | | | | | |
| | Substance-specific information: | | | | | | |
| | | Identification | | | Bioaco | cumulatio | n potential |
| | ethanol | | | BC | F | 3 | |
| | CAS: 64-17-5 | | | Po | w Log | -0.31 | |
| | EC: 200-578-6 | | | Ро | tential | Low | |
| .2.4 | Mobility in soil: | | | | | | |
| | Identification | A | Absorption/desorption | rption Vola | | tility | |
| | ethanol | Кос | 1 | | Henry | | 4,61E-1 Pa·m ³ /mol |
| | CAS: 64-17-5 | Conclusion | Very High | | Dry soil | | Yes |
| | EC: 200-578-6 | Surface tensi | ion 2,339E-2 N/m (| 25 ºC) | Moist soil | | Yes |
| L2.5 | Results of PBT and vPvB assess | nent: | | | | | |
| | Product does not meet PBT/vPvB crit | eria | | | | | |
| L2.6 | Endocrine disrupting properties: | | | | | | |
| | Endocrine-disrupting properties: The | product does not meet | the criteria. | | | | |
| L2.7 | Other adverse effects: | | | | | | |
| | Not described | | | | | | |

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

| Code | Description | Waste class (Regulation (EU) No 1357/2014) |
|------|---|---|
| | It is not possible to assign a specific code, as it depends on the intended use by the user | Dangerous |

Type of waste (Regulation (EU) No 1357/2014):

HP8 Corrosive

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:



| | 00/01/2020 Dector do 12/ | 12/2022 V(a stars 2 (Dealers 4 2) |
|-------------------------------------|--|-----------------------------------|
| te of compilation: SECTION 14: T | 06/01/2020 Revised: 13/2 RANSPORT INFORMATION (| , , , |
| | UN number or ID number: | Non-applicable |
| | | |
| | UN proper shipping name: Transport hazard class(es): | Non-applicable Non-applicable |
| 14.5 | Labels: | Non-applicable |
| 14.4 | Packing group: | Non-applicable |
| | Environmental hazards: | No |
| _ | Special precautions for user | |
| | Special regulations: | Non-applicable |
| | Tunnel restriction code: | Non-applicable |
| | Physico-Chemical properties: | see section 9 |
| | Limited quantities: | Non-applicable |
| 14 7 | Maritime transport in bulk | |
| 14.7 | according to IMO instruments: | Non-applicable |
| Transpo | rt of dangerous goods by sea: | |
| With rega | ard to IMDG 40-20: | |
| 14.1 | UN number or ID number: | Non-applicable |
| 14.2 | UN proper shipping name: | Non-applicable |
| | Transport hazard class(es): | Non-applicable |
| | Labels: | Non-applicable |
| 14.4 | Packing group: | Non-applicable |
| | Marine pollutant: | No |
| | Special precautions for user | |
| | Special regulations: | Non-applicable |
| | EmS Codes: | |
| | Physico-Chemical properties: | see section 9 |
| | Limited quantities: | Non-applicable |
| | Segregation group: | Non-applicable |
| 14.7 | Maritime transport in bulk according to IMO | Non-applicable |
| Tueners | instruments: | |
| _ | rt of dangerous goods by air: | |
| - | ard to IATA/ICAO 2023: | New you'leader |
| | UN number or ID number: | Non-applicable |
| | UN proper shipping name: | Non-applicable |
| 14.3 | Transport hazard class(es): Labels: | Non-applicable Non-applicable |
| 14.4 | Packing group: | Non-applicable |
| 14.5 | Environmental hazards: | No |
| 14.6 | Special precautions for user | |
| | Physico-Chemical properties: | see section 9 |
| 14.7 | Maritime transport in bulk according to IMO instruments: | Non-applicable |

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable Article 95, REGULATION (EU) No 528/2012: ethanol (Product-type 1, 2, 4)



Date of compilation: 06/01/2020

Version: 3 (Replaced 2)

SECTION 15: REGULATORY INFORMATION (continued)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

Revised: 13/12/2023

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

New declared substances

ethanol (64-17-5)

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Eye Dam. 1: H318 - Causes serious eye damage.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Met. Corr. 1: H290 - May be corrosive to metals.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Classification procedure:

Non-applicable

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

Revised: 13/12/2023

IMDG: International maritime dangerous goods code IATA: International Air Transport Association

- ICAO: International Civil Aviation Organisation
- COD: Chemical Oxygen Demand
- BOD5: 5day biochemical oxygen demand
- BCF: Bioconcentration factor

LD50: Lethal Dose 50

- LC50: Lethal Concentration 50
- EC50: Effective concentration 50
- LogPOW: Octanolwater partition coefficient
- Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer



Date of compilation: 06/01/2020

Revised: 13/12/2023

Version: 3 (Replaced 2)

Product safety information sheet prepared in accordance with Article 32 of Regulation (EC) 1907/2006 (REACH); this document does not constitute a Safety Data Sheet under Article 31 of Regulation (EC) No. 1907/2006, as a Safety Data Sheet is not mandatory for this product The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

END OF DOCUMENT

Date of compilation: 06/01/2020