

26/08/20 2001 26/08/20

Product name: NZYDNA Clean-up 96 well plate

Catalogue reference(s): MB20001, 2 plates

Components	MB20001	Safety Information
Elution Buffer	1 x 15 mL	Not Hazardous *
NP Buffer	1 x 50 mL	See specific MSDS
Elution plate V-bottom	2 units	Not Hazardous *
Adhesive cover foil	2 units	Not Hazardous *
Wash Buffer	3 x 25 mL	Not Hazardous *
NZYDNA Clean-up 96 well plate	2 plates	Not Hazardous *
96-deep-well block (1.2 mL)	2 units	Not Hazardous *

*The component mentioned above is not classified as hazardous according to CLP Regulation (EC) No 1272/2008. Consequently, does not require a Material Safety Data Sheet (MSDS), according to Regulation (EC) No 1907/2006, emended by Regulation (EC) No 2015/830.



Patrícia Ponte Executive Direction



MB200 - NP Buffer

EC	TION 1: IDENTIFIC	TION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING	
.1	Product identifier:	MB200 - NP Buffer	
		Guanidine Hydrochloride	
	CAS:	50-01-1	
	EC:	200-002-3	
	Index:	Non-applicable	
	REACH:	Non-applicable	
1.2	Relevant identified	uses of the substance or mixture and uses advised against:	
	Relevant uses: Labor	atory. For professional user only.	
	Uses advised against	All uses not specified in this section or in section 7.3	
1.3	Details of the supp	lier of the safety data sheet:	
	NZYTech Estrada do Paco do L 1649-038 Lisboa - Lis info@nzytech.com www.nzytech.com	umiar Campus do Lumiar - Edif. E, r/c boa - Portugal	
1.4	Emergency telepho	 her number: +351 213 643 514 Local time: Monday to Friday 9.00 am to 18.00 National Poison Information Centre (Europe UK): +44 0845 4647 (this service is only available to health professionals) 	

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315 STOT SE 3: Specific toxicity causing drowsiness and dizziness, single exposure, Category 3, H336

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation Skin Irrit. 2: H315 - Causes skin irritation STOT SE 3: H336 - May cause drowsiness or dizziness

Precautionary statements:

P264: Wash thoroughly after handling
P271: Use only outdoors or in a well-ventilated area
P280: Wear protective gloves/protective clothing/eye protection/face protection
P302+P352: IF ON SKIN: Wash with plenty of water
P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P403+P233: Store in a well-ventilated place. Keep container tightly closed
P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively
Substances that contribute to the classification

Guanidine Hydrochloride (CAS: 50-01-1)



MB200 - NP Buffer

Date of compilation: 13/08/2020 Version: 1

SECTION 2: HAZARDS IDENTIFICATION (continued)

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Chemical description: Mixture of substances

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration
CAS:		Guanidine Hydrochlo	ride ⁽¹⁾ Self-classified	
	200-002-3 Non-applicable Non-applicable		Acute Tox. 4: H302+H332; Eye Irrit. 2: H319; Skin Irrit. 2: H315; STOT SE 3: H336 - Warning	10 - <25 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

3.2 Mixture:

Non-applicable

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:



MB200 - NP Buffer

Date of compilation: 13/08/2020 Version: 1

SECTION 5: FIREFIGHTING MEASURES (continued)

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage
 - Store in a cool, dry, well-ventilated location
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):



MB200 - NP Buffer

Date of compilation: 13/08/2020 Version: 1

SECTION 7: HANDLING AND STORAGE (continued)

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace

There are no occupational exposure limits for the substances contained in the product

DNEL (Workers):

Non-applicable

DNEL (General population):

Non-applicable

PNEC:

Non-applicable

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract	Filter mask for gases and vapours		EN 405:2001+A1:2009	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2003+ A1:2009 and EN ISO 374-1:2016

D.- Ocular and facial protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2001 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.



MB200 - NP Buffer

PRODUCTION	PPE	Labelli		Standard		Domarko
Pictogram	PPE	Labelli	<u> </u>	Standard	period	Remarks the before any evidence of deterioratic s of prolonged exposure to the produ
	Anti-slip wor	rk shoes	EN ISO	20347:2012	recomm	professional/industrial users CE III is mended, in accordance with the regu EN ISO 20345:2012 y EN 13832-1:20
F Additional emerge	ency measures	;				
Emergency mea	asure	Standards		Emergency measu	ıre	Standards
Emergency sho		ANSI Z358-1 O 3864-1:2011, ISO 386	64-4:2011	Eyewash station	s	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:20
Environmental exp	osure contro	de.	•		I	
spillage of both the p Volatile organic co With regard to Direct	mpounds:				า 7.1.D	
V.O.C. (Supply):		0 % weight	-			
V.O.C. density at	20 ºC:	0 kg/m³ (0 g/	L)			
Average carbon n	number:	Non-applicable	:			
Average molecula	ar weight:	Non-applicable				
Information on base For complete information						
Appearance:						
Physical state at 20 °	'С:		Not available			
Appearance:			Not available			
Colour:			Not available			
Odour:			Not available			
			Non-applicable	*		
Odour threshold:						
Volatility:						
Volatility: Boiling point at atmo		re:	Non-applicable	*		
Volatility: Boiling point at atmo Vapour pressure at 2	0 °C:	re:	Non-applicable Non-applicable	*		
Volatility: Boiling point at atmo Vapour pressure at 2 Vapour pressure at 5	20 °C: 50 °C:	re:	Non-applicable Non-applicable Non-applicable	* *		
Volatility: Boiling point at atmo Vapour pressure at 2 Vapour pressure at 5 Evaporation rate at 2	20 °C: 50 °C: 20 °C:	re:	Non-applicable Non-applicable	* *		
Volatility: Boiling point at atmo Vapour pressure at 2 Vapour pressure at 5 Evaporation rate at 2 Product descriptio	20 °C: 50 °C: 20 °C:	re:	Non-applicable Non-applicable Non-applicable Non-applicable	* *		
Volatility: Boiling point at atmos Vapour pressure at 2 Vapour pressure at 5 Evaporation rate at 2 Product descriptio Density at 20 °C:	0 °C: 0 °C: 20 °C: n:	re:	Non-applicable Non-applicable Non-applicable Non-applicable 1024,1 kg/m ³	* *		
Volatility: Boiling point at atmos Vapour pressure at 2 Vapour pressure at 5 Evaporation rate at 2 Product descriptio Density at 20 °C: Relative density at 20	0 °C: 0 °C: n:	re:	Non-applicable Non-applicable Non-applicable Non-applicable 1024,1 kg/m ³ 1,024	* * *		
Volatility: Boiling point at atmos Vapour pressure at 2 Vapour pressure at 5 Evaporation rate at 2 Product descriptio Density at 20 °C: Relative density at 20 Dynamic viscosity at	20 °C: 20 °C: 20 °C: n: 20 °C: 20 °C:	re:	Non-applicable Non-applicable Non-applicable Non-applicable 1024,1 kg/m ³ 1,024 Non-applicable	* * *		
Volatility: Boiling point at atmos Vapour pressure at 2 Vapour pressure at 5 Evaporation rate at 2 Product description Density at 20 °C: Relative density at 20 Dynamic viscosity at Kinematic viscosity at	20 °C: 20 °C: n: 20 °C: 20 °C: 20 °C: t 20 °C:	re:	Non-applicable Non-applicable Non-applicable Non-applicable 1024,1 kg/m ³ 1,024 Non-applicable Non-applicable	* * * *		
Volatility: Boiling point at atmos Vapour pressure at 2 Vapour pressure at 5 Evaporation rate at 2 Product descriptio Density at 20 °C: Relative density at 20 Dynamic viscosity at Kinematic viscosity at	20 °C: 20 °C: n: 20 °C: 20 °C: 20 °C: t 20 °C:	re:	Non-applicable Non-applicable Non-applicable 1024,1 kg/m ³ 1,024 Non-applicable Non-applicable Non-applicable	* * * * *		
Volatility: Boiling point at atmost Vapour pressure at 2 Vapour pressure at 5 Evaporation rate at 2 Product description Density at 20 °C: Relative density at 20 Dynamic viscosity at Kinematic viscosity at Kinematic viscosity at Concentration:	20 °C: 20 °C: n: 20 °C: 20 °C: 20 °C: t 20 °C:	re:	Non-applicable Non-applicable Non-applicable 1024,1 kg/m ³ 1,024 Non-applicable Non-applicable Non-applicable	* * * *		
Volatility: Boiling point at atmost /apour pressure at 2 /apour pressure at 5 Evaporation rate at 2 Product descriptio Density at 20 °C: Relative density at 20 Dynamic viscosity at Kinematic viscosity at Kinematic viscosity at Concentration:	20 °C: 20 °C: 20 °C: 10 °C: 20 °C: 20 °C: t 20 °C: t 40 °C:	re:	Non-applicable Non-applicable Non-applicable 1024,1 kg/m ³ 1,024 Non-applicable Non-applicable Non-applicable Non-applicable	* * * * *		
Odour threshold: Volatility: Boiling point at atmost Vapour pressure at 2 Vapour pressure at 2 Product descriptio Density at 20 °C: Relative density at 20 Dynamic viscosity at Kinematic viscosity at Kinematic viscosity at Concentration: pH: Vapour density at 20	20 °C: 20 °C: 20 °C: 10 °C: 20 °C: 20 °C: t 20 °C: t 40 °C:	re:	Non-applicable Non-applicable Non-applicable 1024,1 kg/m ³ 1,024 Non-applicable Non-applicable Non-applicable	* * * * *		

*Not relevant due to the nature of the product, not providing information property of its hazards.



MB200 - NP Buffer

ECT	TON 9: PHYSICAL AND CHEMICAL PRO	DPERTIES (continued)
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Flammability:	
	Flash Point:	Non-applicable
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	Non-applicable *
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Explosive:	
	Lower explosive limit:	Non-applicable *
	Upper explosive limit:	Non-applicable *
.2	Other information:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not p	roviding information property of its hazards.
ECT	TON 10: STABILITY AND REACTIVITY	
0.1	Reactivity:	
	No hazardous reactions are expected becau	se the product is stable under recommended storage conditions. See section 7.
0.2	Chemical stability:	
	Chemically stable under the conditions of st	orage, handling and use.
0.3	Possibility of hazardous reactions:	
	Under the specified conditions, hazardous re	eactions that lead to excessive temperatures or pressure are not expected.
0.4	Conditions to avoid:	

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available



MB200 - NP Buffer

Date of compilation: 13/08/2020 Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
 - IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
 - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:
 - Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.
- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as
 - dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Guanidine Hydrochloride	LD50 oral	500 mg/kg (ATEi)	
CAS: 50-01-1	LD50 dermal	>2000 mg/kg	
EC: 200-002-3	LC50 inhalation	1,5 mg/L (4 h) (ATEi)	

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity:



MB200 - NP Buffer

Date of compilation: 13/08/2020 Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

Not available

- 12.2 Persistence and degradability: Not available
- **12.3 Bioaccumulative potential:** Not available
- 12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP6 Acute Toxicity, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2019 and RID 2019:

14.1	UN number:	Non-applicable				
14.2	UN proper shipping name:	Non-applicable				
14.3	Transport hazard class(es):	Non-applicable				
	Labels:	Non-applicable				
14.4	Packing group:	Non-applicable				
14.5	Environmental hazards:	No				
14.6	Special precautions for user					
	Special regulations:	Non-applicable				
	Tunnel restriction code:	Non-applicable				
	Physico-Chemical properties:	see section 9				
	Limited quantities:	Non-applicable				
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable				
Transport of dangerous goods by sea:						



MB200 - NP Buffer

	RANSPORT INFORMATION (
With rega	ard to IMDG 39-18:		
14.1	UN number:	Non-applicable	
14.2	UN proper shipping name:	Non-applicable	
14.3	Transport hazard class(es):	Non-applicable	
	Labels:	Non-applicable	
14.4	Packing group:	Non-applicable	
=	Environmental hazards:	No	
14.6	Special precautions for user		
	Special regulations:	Non-applicable	
	EmS Codes:		
	Physico-Chemical properties:	see section 9	
	Limited quantities:	Non-applicable	
	Segregation group:	Non-applicable	
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable	
Transpo	rt of dangerous goods by air:		
With rega	ard to IATA/ICAO 2020:		
14.1	UN number:	Non-applicable	
14.2	UN proper shipping name:	Non-applicable	
	Transport hazard class(es):	Non-applicable	
	Labels:	Non-applicable	
14.4	Packing group:	Non-applicable	
14.5	Environmental hazards:	No	
14.6	Special precautions for user		
	Physico-Chemical properties:	see section 9	
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:



MB200 - NP Buffer

Date of compilation: 13/08/2020 Version: 1

SECTION 15: REGULATORY INFORMATION (continued)

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation

H336: May cause drowsiness or dizziness

H319: Causes serious eye irritation

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled

Eye Irrit. 2: H319 - Causes serious eye irritation

Skin Irrit. 2: H315 - Causes skin irritation

STOT SE 3: H336 - May cause drowsiness or dizziness

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient

Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.