NZYtech

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

MB205 - Buffer A3

Date of compilation: 13/08/2020 Revised: 28/03/2024 Version: 3 (Replaced 2)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1 Product identifier: MB205 - Buffer A3 Other means of identification: Not relevant 1.2 Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Laboratory. For professional users only. Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: NZYtech, Lda Estrada do Paco do Lumiar Campus do Lumiar - Edif. E, r/c 1649-038 Lisboa - Lisboa - Portugal Phone: +351 213643514 info@nzytech.com www.nzytech.com Emergency telephone number: Contact Local Poison Information Center or Local Emergency Number 1.4 SECTION 2: HAZARDS IDENTIFICATION **

Classification of the substance or mixture: 2.1

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Labelling of packages where the contents do not exceed 125 ml: Warning



Hazard statements:

Not relevant

Precautionary statements:

Not relevant

UFI: OW10-F0YG-W00S-DN55

2.3 Other hazards:

Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria.

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture of substances **Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

** Changes with regards to the previous version



MB205 - Buffer A3

Date of compilation: 13/08/2020

Revised: 28/03/2024

Version: 3 (Replaced 2)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

	Identification Chemical name/Classification Conc					
	50-01-1 200-002-3 607-148-00-0 01-2119977063-35- XXXX	guanidinium chloride	2(1)	Self-classified		
EC: Index: REACH:		Regulation 1272/2008	Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	¢	25 - <50 %	
CAS:	64-19-7	Acetic acid ⁽¹⁾		ATP CLP00		
	607-002-00-6 01-2119475328-30-	Regulation 1272/2008	Flam. Liq. 3: H226; Skin Corr. 1A: H314 - Danger		2,5 - <10 %	

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit			
CAS: 64-19-7 EC: 200-580-7	% (w/w) >=90: Skin Corr. 1A - H314 25<= % (w/w) <90: Skin Corr. 1B - H314 10<= % (w/w) <25: Skin Irrit. 2 - H315 % (w/w) >=25: Eye Dam. 1 - H318 10<= % (w/w) <25: Eye Irrit. 2 - H319			

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acute toxicity		Genus
guanidinium chloride	LD50 oral	907 mg/kg	Rat
CAS: 50-01-1	LD50 dermal	Not relevant	
EC: 200-002-3	LC50 inhalation	Not relevant	

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

NZYtech

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

MB205 - Buffer A3

Date of compilation: 13/08/2020

Version: 3 (Replaced 2)

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

Revised: 28/03/2024

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

NZYtech

MB205 - Buffer A3

Date of compilation: 13/08/2020

Version: 3 (Replaced 2)

SECTION 7: HANDLING AND STORAGE (continued)

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

Revised: 28/03/2024

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits			
Acetic acid	IOELV (8h)	10 ppm	25 mg/m ³	
CAS: 64-19-7 EC: 200-580-7	IOELV (STEL)	20 ppm	50 mg/m ³	

DNEL (Workers):

Short exposure		xposure	Long exposure		
Identification		Systemic	Local	Systemic	Local
guanidinium chloride	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 50-01-1	Dermal	Not relevant	Not relevant	1 mg/kg	Not relevant
EC: 200-002-3	Inhalation	10,5 mg/m ³	Not relevant	3,5 mg/m ³	Not relevant
Acetic acid	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 64-19-7	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 200-580-7	Inhalation	Not relevant	25 mg/m ³	Not relevant	25 mg/m ³

DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
guanidinium chloride	Oral	Not relevant	Not relevant	0,5 mg/kg	Not relevant
CAS: 50-01-1	Dermal	Not relevant	Not relevant	0,5 mg/kg	Not relevant
EC: 200-002-3	Inhalation	Not relevant	Not relevant	0,87 mg/m ³	Not relevant
Acetic acid	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 64-19-7	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 200-580-7	Inhalation	Not relevant	25 mg/m ³	Not relevant	25 mg/m ³

PNEC:

I NEC.				
Identification				
Acetic acid	STP	85 mg/L	Fresh water	3,058 mg/L
CAS: 64-19-7	Soil	0,47 mg/kg	Marine water	0,306 mg/L
EC: 200-580-7	Intermittent	30,58 mg/L	Sediment (Fresh water)	11,36 mg/kg
	Oral	Not relevant	Sediment (Marine water)	1,136 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

MB205 - Buffer A3

	As a preventative marking>> in ac use, cleaning, ma information see s	e measure it is rec cordance with Re- aintenance, class subsection 7.1. Al evention services	gulation (EU) 2016, of protection,) co Il information conta	basic Perso /425. For n nsult the ir ined hereir	nal Protective Equators information conformation leaflet formation leaflet is a recommendation leaflet	n Person provided ation wh	, with the corresponding < <ce nal Protective Equipment (storage, d by the manufacturer. For more ich needs some specification from measures at its disposal.</ce 		
	The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded. C Specific protection for the hands								
	Pictogram	PPE	Labelling	4	CEN Standard		Remarks		
	Mandatory hand protection	Chemical protectiv (Material: Viton® Breakthrough time min, Thickness: 0	e gloves)-Butyl, e: > 480 .7 mm)	E	N ISO 21420:2020		ace the gloves at any sign of deterioration.		
		d has therefore to	eral substances, the o be checked prior			erial can	not be calculated in advance with		
	Pictogram	PPE	Labelling]	CEN Standard		Remarks		
	Mandatory face protection	Panoramic glasses splash/projecti	against	:	EN 166:2002 N ISO 4007:2018		daily and disinfect periodically according t anufacturer 's instructions. Use if there is a risk of splashing.		
E	Body protection	-	-						
	Pictogram	PPE	Labelling	J	CEN Standard		Remarks		
		Work clothir				perioc recom	ce before any evidence of deterioration. Fc Is of prolonged exposure to the product fo professional/industrial users CE III is mended, in accordance with the regulatior ISO 6529:2013, EN ISO 6530:2005, EN IS 13688:2013, EN 464:1994.		
		Anti-slip work s	shoes	EI	NISO 20347:2012	perioc recom	te before any evidence of deterioration. For Is of prolonged exposure to the product fo professional/industrial users CE III is mended, in accordance with the regulation EN ISO 20345:2012 y EN 13832-1:2007		
F	Additional emerg	ency measures							
	Emergency me	asure	Standards		Emergency mea	sure	Standards		
	Emergency sh		ANSI Z358-1 3864-1:2011, ISO 3864	-4:2011	Eyewash statio	ns	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011		
In a spil	Iccordance with t	product and its co					nmended to avoid environmental		
	-	•	this product has th	e following	characteristics:				
	V.O.C. (Supply):	. , ,	2,9 % weight	5					
	V.O.C. density at	20 °C:	32,14 kg/m ³ (3	2,14 g/L)					
	, Average carbon r		2	- ,					
	Average molecula		60,1 g/mol						
	-		00,1 9,1101						



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

MB205 - Buffer A3

SECT	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)				
). 1	Information on basic physical and chemical properties: For complete information see the product datasheet.					
	Appearance:	Liquid				
	Physical state at 20 °C:	Liquid				
	Appearance:	Not available				
	Colour:	Colourless				
	Odour: Odour threshold:	Harsh				
		Not relevant *				
	Volatility:	101.00				
	Boiling point at atmospheric pressure:	101 °C				
	Vapour pressure at 20 °C:	2340 Pa				
	Vapour pressure at 50 °C:	12320,93 Pa (12,32 kPa)				
	Evaporation rate at 20 °C:	Not relevant *				
	Product description:	1100 2 hz/m2				
	Density at 20 °C:	1108,2 kg/m ³				
	Relative density at 20 °C:	1,108				
	Dynamic viscosity at 20 °C:	1,75 cP				
	Kinematic viscosity at 20 °C:	1,58 mm ² /s				
	Kinematic viscosity at 40 °C:	Not relevant *				
	Concentration:	Not relevant *				
	pH:	4,1 - 4,3				
	Vapour density at 20 °C:	Not relevant *				
	Partition coefficient n-octanol/water 20 °C:	Not relevant *				
	Solubility in water at 20 °C:	Not relevant *				
	Solubility properties:	Not relevant *				
	Decomposition temperature:	Not relevant *				
	Melting point/freezing point:	Not relevant *				
	Flammability:					
	Flash Point:	Non Flammable (>60 °C)				
	Flammability (solid, gas):	Not relevant *				
	Autoignition temperature:	427 °C				
	Lower flammability limit:	Not relevant *				
	Upper flammability limit:	Not relevant *				
	Particle characteristics:					
	Median equivalent diameter:	Non-applicable				
.2	Other information:					
	Information with regard to physical hazard clas	sses:				
	Explosive properties:	Not relevant *				
	Oxidising properties:	Not relevant *				
	Corrosive to metals:	Not relevant *				
	Heat of combustion:	Not relevant *				
	Aerosols-total percentage (by mass) of flammable components:	Not relevant *				
	Other safety characteristics:					
	Surface tension at 20 °C:	Not relevant *				
	*Not relevant due to the nature of the product, not providing inf	formation property of its hazards.				

NZYtech

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

MB205 - Buffer A3

Date of compilation: 13/08/2020

Version: 3 (Replaced 2) SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Refraction index:

Not relevant *

*Not relevant due to the nature of the product, not providing information property of its hazards.

Revised: 28/03/2024

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION **

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified
 - as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

NZYtech

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

MB205 - Buffer A3

of compilation: 13/08/2020 Revised: 28/03/2024 Version: 3 (Re	placed 2)				
CTION 11: TOXICOLOGICAL INFORMATION ** (continued)					
 Carcinogenicity: Based on available data, the classification criteria ar as hazardous for the effects mentioned. For more information see secti IARC: Not relevant Mutagenicity: Based on available data, the classification criteria are hazardous for this effect. For more information see section 3. Reproductive toxicity: Based on available data, the classification criteria classified as hazardous for this effect. For more information see section E- Sensitizing effects: 	on 3. not met, as it does eria are not met, as	not contain substances	s classified as		
 Respiratory: Based on available data, the classification criteria are not hazardous with sensitising effects. For more information see section 3. Skin: Based on available data, the classification criteria are not met, hazardous for this effect. For more information see section 3. F- Specific target organ toxicity (STOT) - single exposure: 					
Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. G- Specific target organ toxicity (STOT)-repeated exposure:					
 Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. H- Aspiration hazard: 					
Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Other information:					
Not relevant					
Specific toxicology information on the substances:					
Identification	Acut	e toxicity	Genus		
Acetic acid	LD50 oral	>2000 mg/kg			
CAS: 64-19-7	LD50 dermal	>2000 mg/kg			

CAS: 64-19-7	LD50 dermal	>2000 mg/kg	
EC: 200-580-7	LC50 inhalation	>20 mg/L	
guanidinium chloride	LD50 oral	907 mg/kg (ATEi)	Rat
CAS: 50-01-1	LD50 dermal	>2000 mg/kg	
EC: 200-002-3	LC50 inhalation	>5 mg/L	

Acute Toxicity Estimate (ATE mix):

ATE mix		Ingredient(s) of unknown toxicity		
Oral 3628 mg/kg (Calculation method)		0 %		
Dermal	>2000 mg/kg (Calculation method)	Non-applicable		
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable		

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

** Changes with regards to the previous version

SECTION 12: ECOLOGICAL INFORMATION **

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Toxicity:

** Changes with regards to the previous version



MB205 - Buffer A3

Date of compilation: 13/08/2020

Revised: 28/03/2024

Version: 3 (Replaced 2) SECTION 12: ECOLOGICAL INFORMATION ** (continued)

		Identification			Concentration			Species		Genus	
	Acetic acid			_C50			Lepon	Lepomis macrochirus		Fish	
	CAS: 64-19-7		E	EC50	47 mg/L (24 h)		Dap	ohnia magna	3	Crustacea	
	EC: 200-580-7		E	EC50	Not relevant						
	Chronic toxi	city:									
		Identification			Concentration			Species		Genus	
	guanidinium chlo	ride	١	NOEC	181 mg/L		Pimep	hales prome	elas	Fish	
	CAS: 50-01-1 EC	: 200-002-3	Ν	NOEC	2,9 mg/L		Daphnia magna		3	Crustacea	
	Acetic acid		Ν	NOEC	57,2 mg/L		Oncor	hynchus my	kiss	Fish	
	CAS: 64-19-7 EC	: 200-580-7	Ν	NOEC	80 mg/L		Dap	phnia magna	9	Crustacea	
2.2	Persistence a	and degradability:									
	Substance-s	pecific information:									
		Identification		De	egradability			Biodegrad	ability		
	guanidinium chlo	nidinium chloride BOD				Conce	entration		20 mg	j/L	
	CAS: 50-01-1		COD		Not relevant	Period	ł		22 day	ys	
	EC: 200-002-3		BOD5/C	COD	Not relevant	% Bio	degradable		100 %	D	
	Acetic acid		BOD5		Not relevant	Conce	entration		100 m	ig/L	
	CAS: 64-19-7		COD		Not relevant	Period	1		14 day	ys	
	EC: 200-580-7		BOD5/C	COD	Not relevant	% Bio	degradable		74 %		
2.3	Bioaccumula	tive potential:									
	Substance-si	pecific information:									
							-				
		Identific	Lauon					ioaccumulat	ion poten	udi	
	guanidinium chlo						BCF 1				
	CAS: 50-01-1						v Log	-1.63			
	EC: 200-002-3					_	ential -	Low			
	Acetic acid			BCF				-0.71			
	CAS: 64-19-7 EC: 200-580-7						w Log ential	-0.7 Low			
2.4	Mobility in so	bil:				FUL		LOW			
				A.L				N . 1			
		Identification		Abs	sorption/desorption			VOI	atility		
	Acetic acid		Koc	• •	Not relevant		Henry			Not relevant	
	CAS: 64-19-7		Conclus		Not relevant		Dry soil			Not relevant	
• F	EC: 200-580-7	T andD.D caracterist	Surface	e tensior	n 2,699E-2 N/m (2	25 °C)	Moist soil		Not re	levant	
2.3		BT and vPvB assessment:									
		not meet PBT/vPvB criteria									
2.6	Endocrine dis	srupting properties:									
	Endocrine-disr	upting properties: The produ	ct does not m	neet th	e criteria.						
2.7	Other advers										
	Not described										
	NUL UESCIIDED										
hana	es with regards	to the previous version									
ECTI	ION 13: DISP	POSAL CONSIDERATIONS	5								
	Waste treatm	nent methods:									
3.1				cription			Waste class (Regulation (EU) N				
3.1	Code		Descr	ription							
3.1		It is not possible to assign a specif			on the intended use by	the use	r		1357/20 Hazard	014)	

NZYtech

MB205 - Buffer A3

Date of compilation: 13/08/2020

Version: 3 (Replaced 2)

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

HP6 Acute Toxicity, HP4 Irritant — skin irritation and eye damage

Revised: 28/03/2024

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:

withing		
14.1	UN number or ID number:	Not relevant
14.2	UN proper shipping name:	Not relevant
14.3	Transport hazard class(es):	Not relevant
	Labels:	Not relevant
14.4	Packing group:	Not relevant
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Special regulations:	Not relevant
	Tunnel restriction code:	Not relevant
	Physico-Chemical properties:	see section 9
	Limited quantities:	Not relevant
14.7	Maritime transport in bulk	Not relevant
	according to IMO	
	instruments:	
Transpo	rt of dangerous goods by sea:	
With rega	rd to IMDG 41-22:	
5		
14.1	UN number or ID number:	Not relevant
	UN number or ID number:	Not relevant Not relevant
14.1	UN number or ID number:	
14.1 14.2	UN number or ID number: UN proper shipping name:	Not relevant
14.1 14.2	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels:	Not relevant Not relevant
14.1 14.2 14.3 14.4	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels:	Not relevant Not relevant Not relevant
14.1 14.2 14.3 14.4	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant:	Not relevant Not relevant Not relevant Not relevant
14.1 14.2 14.3 14.4 14.5	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant:	Not relevant Not relevant Not relevant Not relevant
14.1 14.2 14.3 14.4 14.5	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant: Special precautions for user	Not relevant Not relevant Not relevant Not relevant No
14.1 14.2 14.3 14.4 14.5	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant: Special precautions for user Special regulations:	Not relevant Not relevant Not relevant Not relevant No
14.1 14.2 14.3 14.4 14.5	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant: Special precautions for user Special regulations: EmS Codes:	Not relevant Not relevant Not relevant No Not relevant
14.1 14.2 14.3 14.4 14.5	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant: Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties:	Not relevant Not relevant Not relevant No Not relevant See section 9
14.1 14.2 14.3 14.4 14.5	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant: Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities:	Not relevant Not relevant Not relevant No Not relevant see section 9 Not relevant
14.1 14.2 14.3 14.4 14.5 14.6	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant: Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Maritime transport in bulk according to IMO	Not relevant Not relevant Not relevant No Not relevant See section 9 Not relevant Not relevant Not relevant
14.1 14.2 14.3 14.4 14.5 14.6	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant: Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Maritime transport in bulk according to IMO instruments:	Not relevant Not relevant Not relevant No Not relevant See section 9 Not relevant Not relevant Not relevant
14.1 14.2 14.3 14.4 14.5 14.6	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant: Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Maritime transport in bulk according to IMO	Not relevant Not relevant Not relevant No Not relevant See section 9 Not relevant Not relevant Not relevant

With regard to IATA/ICAO 2024:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

MB205 - Buffer A3

Date of compilation:	13/08/2020 Revised: 28/	03/2024	Version: 3 (Replaced 2)
SECTION 14: T	RANSPORT INFORMATION ((continued)	
14.2 14.3 14.4	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user	Not relevant Not relevant Not relevant Not relevant Not relevant No	
14.7	Physico-Chemical properties:	see section 9 Not relevant	

SECTION 15: REGULATORY INFORMATION **

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Seveso III:

Not relevant

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtravs.

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

** Changes with regards to the previous version

SECTION 16: OTHER INFORMATION **

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

** Changes with regards to the previous version

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

NZYtech

MB205 - Buffer A3

te of compilation: 13/08/2020	Revised: 28/03/2024	Version: 3 (Replaced 2)
SECTION 16: OTHER INFORM	ATION ** (continued)	
 New declared substance: guanidinium chloride Acetic acid (64-19-7) Removed substances Hazardous substance Acetic acid (64-19-7) Substances that contribute t Removed substances Hazardous substances 	DN ON INGREDIENTS (SECT s (50-01-1) 102 o the classification (SECTIO 102	
CLP Regulation (EC) No 127 · Hazard statements · Precautionary statement REGULATORY INFORMATIOI	S	UN 16):
		ain dangerous substances and mixtures (Annex XVII REACH, etc)
Texts of the legislative p H315: Causes skin irritation. H319: Causes serious eye irr		tion 2:
Texts of the legislative p		tion 3:
individual components which CLP Regulation (EC) No 1	appear in section 3	; they are present merely for informative purposes and refer to the
Acute Tox. 4: H302 - Harmfu Eye Irrit. 2: H319 - Causes s Flam. Liq. 3: H226 - Flamma Skin Corr. 1A: H314 - Cause Skin Irrit. 2: H315 - Causes	serious eye irritation. able liquid and vapour. s severe skin burns and eye	e damage.
Classification procedure:		
Skin Irrit. 2: Calculation met Eye Irrit. 2: Calculation mether		
Advice related to training		
interpretation of this safety	data sheet, as well as the la	risks for staff using this product and to facilitate their comprehension and abel on the product.
Principal bibliographical	sources:	
http://echa.europa.eu http://eur-lex.europa.eu		
Abbreviations and acrony	yms:	
	concerning the international e dangerous goods code sport Association	carriage of dangerous goods by road
COD: Chemical Oxygen Dem BOD5: 5day biochemical oxy BCF: Bioconcentration factor	nand /gen demand	
LD50: Lethal Dose 50 LC50: Lethal Concentration EC50: Effective concentratio	n 50	
LogPOW: Octanolwater part Koc: Partition coefficient of o UFI: unique formula identifie	organic carbon er	
IARC: International Agency	for Research on Cancer	

** Changes with regards to the previous version

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.