

Product name: Speedy Hinfl

Catalogue reference(s): MB24001, 50 reactions

MB24002, 250 reactions

Components	MB24001	MB24002	Safety Information
Speedy Hinfl (50 reactions)	1 x 50 μL	5 x 50 μL	See specific MSDS
10x NZYSpeedyBuffer Colourless	1 x 200 μL	1 x 500 μL	Not Hazardous *
10x NZYSpeedyBuffer Orange	1 x 200 μL	1 x 500 μL	Not Hazardous *

*The component mentioned above is not classified as hazardous according to CLP Regulation (EC) No 1272/2008. Consequently, does not require a Material Safety Data Sheet (MSDS), according to Regulation (EC) No 1907/2006, emended by Regulation (EC) No 2015/830.

Patrícia Ponte Executive Direction

Estrada do Paço do Lumiar, Campus do Lumiar - Edifício E, R/C, 1649-038 Lisboa, Portugal Tel.:+351.213643514 Fax: +351.217151168



MB240 - Speedy HinfI

ate of	compilation: 04/08/202	20 Version: 1
SEC	TION 1: IDENTIFIC	ATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier:	MB240 - Speedy HinfI
		Glycerol
	CAS:	56-81-5
	EC:	200-289-5
	Index:	Non-applicable
	REACH:	01-2119471987-18-XXXX
1.2	Relevant identified	l uses of the substance or mixture and uses advised against:
	Relevant uses: Labor	atory. For professional user only.
	Uses advised against	: All uses not specified in this section or in section 7.3
1.3	Details of the supp	lier of the safety data sheet:
	NZYTech Estrada do Paco do L 1649-038 Lisboa - Li: info@nzytech.com www.nzytech.com	umiar Campus do Lumiar - Edif. E, r/c sboa - Portugal
1.4		one number: +351 213 643 514 Local time: Monday to Friday 9.00 am to 18.00 National Poison Information Centre (Europe UK): +44 0845 4647 (this service is only available to health professionals)
SEC	Tion 2: Hazards 1	DENTIFICATION
2.1	Classification of th	e substance or mixture:
	CLP Regulation (E	C) No 1272/2008:
	Classification of this	product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
	Repr. 1B: Reproduct	ation, Category 2, H319 ve toxicity, Category 1B, H360 tation, Category 2, H315
2 2		

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation Repr. 1B: H360 - May damage fertility or the unborn child Skin Irrit. 2: H315 - Causes skin irritation

Precautionary statements:

P201: Obtain special instructions before use
P264: Wash thoroughly after handling
P280: Wear protective gloves/protective clothing/eye protection/face protection
P302+P352: IF ON SKIN: Wash with plenty of water
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308+P313: IF exposed or concerned: Get medical advice/attention
P337+P313: If eye irritation persists: Get medical advice/attention
P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively
Substances that contribute to the classification

Imidazole (CAS: 288-32-4)



MB240 - Speedy HinfI

Date of compilation: 04/08/2020 Version: 1

SECTION 2: HAZARDS IDENTIFICATION (continued)

Additional Labelling (Annex XVII, REACH):

Restricted to professional users

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Chemical description: Mixture of substances

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification	Chemical name/Classification			
CAS:	288-32-4	Imidazole ⁽¹⁾		Self-classified	
EC: Index: REACH:	206-019-2 Non-applicable 01-2119485825-24- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318; Repr. 1B: H360; Skin Corr. 1C: H314 - Danger	1 4	1 - <2,5 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

3.2 Mixture:

Non-applicable

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES



MB240 - Speedy HinfI

Date of compilation: 04/08/2020 Version: 1

SECTION 5: FIREFIGHTING MEASURES (continued)

5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

PREGNANT WOMEN SHOULD NOT BE EXPOSED TO THIS PRODUCT. Transfer in designated areas that comply with the necessary safety conditions (emergency showers and eyewash stations in close proximity), using personal protection equipment, especially on the hands and face (See section 8). Limit manual transfers to small amounts only. Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:



MB240 - Speedy HinfI

Date of compilation: 04/08/2020 Version: 1

SECTION 7: HANDLING AND STORAGE (continued)

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace

There are no occupational exposure limits for the substances contained in the product

DNEL (Workers):

		Short e	xposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
Imidazole	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 288-32-4	Dermal	25 mg/kg	Non-applicable	1,5 mg/kg	Non-applicable
EC: 206-019-2	Inhalation	5583 mg/m ³	Non-applicable	10,6 mg/m ³	Non-applicable

DNEL (General population):

Non-applicable

PNEC:

Identification				
Imidazole	STP	10 mg/L	Fresh water	0,13 mg/L
CAS: 288-32-4	Soil	0,0425 mg/kg	Marine water	0,013 mg/L
EC: 206-019-2	Intermittent	1,3 mg/L	Sediment (Fresh water)	0,336 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable

8.2 **Exposure controls:**

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks			
	Mandatory respiratory tract protection	Filter mask for gases and vapours		EN 405:2001+A1:2009	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.			
C	Specific protection for the hands							
	Pictogram	PPE	Labelling	CEN Standard	Remarks			

C

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	NON-disposable chemical protective gloves		EN ISO 374-1:2016 EN 16523-1:2015 EN 420:2003+A1:2009	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

D.- Ocular and facial protection



MB240 - Speedy HinfI

ĪŌN	N 8: EXPOSURE	CONTR				/		
	Pictogram		PPE	Labelling		CEN Standard		Remarks
	Mandatory face protection	F	Face shield		E	EN 166:2001 EN 167:2001 EN 168:2001 EN ISO 4007:2018		daily and disinfect periodically according nanufacturer 's instructions. Use if there is risk of splashing.
E	Body protection							
	Pictogram		PPE	Labelling		CEN Standard		Remarks
	Mandatory complete body protection		able clothing for n against chemical risks		E	13034:2005+A1:2009 EN 168:2001 EN ISO 13982- 1:2004/A1:2010 EN ISO 6529:2013 EN ISO 6530:2005 EN 464:1994		r professional use only. Clean periodically ording to the manufacturer's instructions
	Mandatory foot protection		ty footwear for n against chemical risk			N ISO 20345:2011 EN 13832-1:2019	Re	place boots at any sign of deterioration.
F	Additional emerge	ency mea	asures					
	Emergency mea	asure	St	tandards		Emergency measu	ure	Standards
						O +		
In a spil		osure c ne comm roduct a	ISO 3864-1:20 ontrols: unity legislation nd its container.		ion of t	Eyewash station	s recor	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental
In a spil Vol Wit	vironmental exp accordance with the llage of both the p	ne comm roduct a mpounc ive 2010, 20 °C:	ISO 3864-1:20 ontrols: unity legislation nd its container. Is: /75/EU, this prod 0 % 0 kg/	11, ISO 3864-4:20 for the protecti For additional i	ion of t	the environment it i ation see subsection	s recor	ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental
In a spil Vol Wit	vironmental exp accordance with th llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at	ne comm roduct an mpounc ive 2010, 20 °C: number:	ISO 3864-1:20 ontrols: unity legislation nd its container. is: /75/EU, this prod 0 % 1 0 kg/ Non-a	for the protecti For additional i duct has the fol weight 'm ³ (0 g/L)	ion of t	the environment it i ation see subsection	s recor	ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental
In a spil Vol Wit	vironmental exp accordance with th llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n	posure c ne comm roduct al mpounc ive 2010, 20 °C: umber: ir weight	ISO 3864-1:20 ontrols: unity legislation nd its container. is: /75/EU, this prod 0 % 1 0 kg/ Non-i : Non-i	for the protecti For additional i duct has the fol weight 'm ³ (0 g/L) applicable applicable	ion of t	the environment it i ation see subsection	s recor	ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental
In a spil Vol Wit	vironmental exp accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula	posure c ne comm roduct al mpounc ive 2010, 20 °C: umber: umber: ur weight	ISO 3864-1:20 ontrols: unity legislation nd its container. is: /75/EU, this prod 0 % 0 kg/ Non-i : Non-i EMICAL PROF	11, ISO 3864-4:20 for the protecti For additional i duct has the fol weight 'm ³ (0 g/L) applicable applicable PERTIES	ion of t informa	the environment it i ation see subsection	s recor	ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental
In a spil Vol Wit	vironmental exp accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula	osure c ne comm roduct ar mpounc ive 2010, 20 °C: umber: ar weight AND CH sic phys	ISO 3864-1:20 ontrols: unity legislation nd its container. is: /75/EU, this prod 0 kg/ 0 kg/ Non-a : Non-a : Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fol weight 'm ³ (0 g/L) applicable applicable PERTIES	ion of t informa	the environment it i ation see subsection	s recor	ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental
In a spil Vol Wit	vironmental exp accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A formation on base	osure c ne comm roduct ar mpounc ive 2010, 20 °C: umber: ar weight AND CH sic phys	ISO 3864-1:20 ontrols: unity legislation nd its container. is: /75/EU, this prod 0 kg/ 0 kg/ Non-a : Non-a : Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fol weight 'm ³ (0 g/L) applicable applicable PERTIES	ion of t informa	the environment it i ation see subsection	s recor	ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental
In a spil Vol Wit	vironmental exp accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula	posure c ne comm roduct al mpound ive 2010, 20 °C: umber: umber: tr weight AND CH sic phys tion see	ISO 3864-1:20 ontrols: unity legislation nd its container. is: /75/EU, this prod 0 kg/ 0 kg/ Non-a : Non-a : Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fol weight 'm ³ (0 g/L) applicable applicable PERTIES	ion of t informa Ilowing	the environment it i ation see subsection	s recor	ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental
In a spil Vol Wit	vironmental exp accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A formation on base r complete informa pearance:	posure c ne comm roduct al mpound ive 2010, 20 °C: umber: umber: tr weight AND CH sic phys tion see	ISO 3864-1:20 ontrols: unity legislation nd its container. is: /75/EU, this prod 0 kg/ 0 kg/ Non-a : Non-a : Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fol weight 'm ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liqu	ion of t informa Ilowing	the environment it i ation see subsection characteristics:	s recor	ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental
In a spil Vol Wit FION Inf For App Phy App	vironmental exp accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula V 9: PHYSICAL A formation on bas r complete information pearance: ysical state at 20 °	posure c ne comm roduct al mpound ive 2010, 20 °C: umber: umber: tr weight AND CH sic phys tion see	ISO 3864-1:20 ontrols: unity legislation nd its container. is: /75/EU, this prod 0 kg/ 0 kg/ Non-a : Non-a : Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fol weight m ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liqu Not	ion of t informa Ilowing s:	the environment it i ation see subsection g characteristics:	s recor	ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental
In a spil Vol Wit TION Inf For App App Col	vironmental exp accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A formation on base r complete information pearance: ysical state at 20 of pearance:	posure c ne comm roduct al mpound ive 2010, 20 °C: umber: umber: tr weight AND CH sic phys tion see	ISO 3864-1:20 ontrols: unity legislation nd its container. is: /75/EU, this prod 0 kg/ 0 kg/ Non-a : Non-a : Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fol weight m ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liqu Not	ion of t informa Ilowing s: id availat	the environment it i ation see subsection characteristics:	s recor	ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental
In a spil Vol Wit TION Inf For App App Cold	vironmental exp accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average carbon n Average molecula V 9: PHYSICAL A formation on base r complete information pearance: ysical state at 20 ° pearance: lour:	posure c ne comm roduct al mpound ive 2010, 20 °C: umber: umber: tr weight AND CH sic phys tion see	ISO 3864-1:20 ontrols: unity legislation nd its container. is: /75/EU, this prod 0 kg/ 0 kg/ Non-a : Non-a : Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fol weight m ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liqu Not	ion of t informa llowing s: id availat availat	the environment it i ation see subsection g characteristics:	s recor	ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental
In a spil Vol Wit Uit For App Cold Odd	vironmental exp accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon m Average molecula N 9: PHYSICAL / formation on bas r complete information pearance: ysical state at 20 ° pearance: lour: our:	posure c ne comm roduct al mpound ive 2010, 20 °C: umber: umber: tr weight AND CH sic phys tion see	ISO 3864-1:20 ontrols: unity legislation nd its container. is: /75/EU, this prod 0 kg/ 0 kg/ Non-a : Non-a : Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fol weight m ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liqu Not	ion of t informa llowing s: id availat availat	the environment it i ation see subsection g characteristics:	s recor	ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental
In a spil Vol Wit	vironmental exp accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula V 9: PHYSICAL A formation on base r complete information pearance: ysical state at 20 of pearance: lour: our: our threshold:	osure c ne comm roduct ar mpound ive 2010, 20 °C: umber: ar weight AND CH sic phys tion see C:	ISO 3864-1:20 ontrols: unity legislation nd its container. Is: (75/EU, this prod 0 % 0 kg/ Non-a : Non-a : Non-a ical and chemi the product data	11, ISO 3864-4:20 for the protecti For additional i duct has the fol weight m ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liqu Not Not	ion of t informa llowing s: id availat availat	the environment it i ation see subsection g characteristics: g ble ble able *	s recor	ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental
In a spil Vol Wit TION Inf For App Phy App Colu Odd Odd Vol Boil	vironmental exp accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon m Average molecula V 9: PHYSICAL / formation on base r complete informat pearance: ysical state at 20 ° pearance: lour: our threshold: latility:	osure c ne comm roduct ar mpound ive 2010, 20 °C: umber: ur weight AND CH sic phys tion see C:	ISO 3864-1:20 ontrols: unity legislation nd its container. Is: (75/EU, this prod 0 % 0 kg/ Non-a : Non-a : Non-a ical and chemi the product data	in the protecti For additional i duct has the fol weight im ³ (0 g/L) applicable applicable ical properties asheet. Liqu Not Not	ion of t informa llowing s: id availat availat availat -applic	the environment it i ation see subsection g characteristics: ble ble ble able * able *	s recor	ISO 3864-1:2011, ISO 3864-4:2011 nmended to avoid environmental

*Not relevant due to the nature of the product, not providing information property of its hazards.



MB240 - Speedy HinfI

ECT	TON 9: PHYSICAL AND CHEMICAL	_ PRO <u>PERTI</u>	ES (continu <u>ed)</u>		
	Evaporation rate at 20 °C:		Non-applicable *		
	Product description:				
	Density at 20 °C:		1156,9 kg/m³		
	Relative density at 20 °C:		1,157		
	Dynamic viscosity at 20 °C:		Non-applicable *		
	Kinematic viscosity at 20 °C:		Non-applicable *		
	Kinematic viscosity at 40 °C:		Non-applicable *		
	Concentration:		Non-applicable *		
	pH:		Non-applicable *		
	Vapour density at 20 °C:		Non-applicable *		
	Partition coefficient n-octanol/water 20	00.	Non-applicable *		
	Solubility in water at 20 °C:		Non-applicable *		
	Solubility properties:		Non-applicable *		
	Decomposition temperature:		Non-applicable *		
	Melting point/freezing point:		Non-applicable *		
			Non-applicable *		
	Explosive properties:				
	Oxidising properties:		Non-applicable *		
	Flammability:		Neg Fleggreichte (* 60	00)	
	Flash Point:		Non Flammable (>60	0()	
	Flammability (solid, gas):		Non-applicable *		
	Autoignition temperature:		480 °C		
	Lower flammability limit:		Non-applicable *		
	Upper flammability limit:		Non-applicable *		
	Explosive:				
	Lower explosive limit:		Non-applicable *		
	Upper explosive limit:		Non-applicable *		
.2	Other information:				
	Surface tension at 20 °C:		Non-applicable *		
	Refraction index:		Non-applicable *		
	*Not relevant due to the nature of the product	, not providing in	formation property of its hazard	S.	
ECT	TON 10: STABILITY AND REACTI	VITY			
0.1	Reactivity:				
	No hazardous reactions are expected b	pecause the pr	oduct is stable under reco	mmended storage condition	ons. See section 7.
0.2	Chemical stability:			Ū.	
	Chemically stable under the conditions	of storage, ha	andling and use.		
0.3	Possibility of hazardous reactions	-	5		
	Under the specified conditions, hazard		that lead to excessive tem	peratures or pressure are	not expected.
0.4	Conditions to avoid:				
	Applicable for handling and storage at	room temner:	ature:		
		t with air	Increase in temperature	Sunlight	Humidity
				Junilyin	HUIHUUV

10.5 Incompatible materials:

_0.0									
	Acids	Water	Oxidising materials	Combustible materials	Others				



MB240 - Speedy HinfI

Date of compilation: 04/08/2020	Version: 1			
SECTION 10: STABILITY A	ND REACTIVITY (contin	ued)		
		1		
Avoid strong acids	Not applicable	Precaution	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
 - IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Reproductive toxicity: May damage fertility or the unborn child
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
 - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Other information:



MB240 - Speedy HinfI

Date of compilation: 04/08/2020 Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Non-applicable

Specific toxicology information on the substances:

Identification	Acut	Genus	
Imidazole	LD50 oral	500 mg/kg (ATEi)	
CAS: 288-32-4	LD50 dermal	>2000 mg/kg	
EC: 206-019-2	LC50 inhalation	>5 mg/L (4 h)	

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Identification		Acute toxicity	Species	Genus
Imidazole	LC50	240 mg/L (48 h)	Leuciscus idus	Fish
CAS: 288-32-4	EC50	341.5 mg/L (48 h)	Daphnia magna	Crustacean
EC: 206-019-2	EC50	130 mg/L (72 h)	Scenedesmus subspicatus	Algae

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP10 Toxic for reproduction

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:



MB240 - Speedy HinfI

·	04/08/2020 Version: 1		 ~
ION 14: T	RANSPORT INFORMATION (continued)	
With rega	ard to ADR 2019 and RID 2019:		
•	UN number:	Non-applicable	
	UN proper shipping name:	Non-applicable	
	Transport hazard class(es):	Non-applicable	
	Labels:	Non-applicable	
14.4	Packing group:	Non-applicable	
	Environmental hazards:	No	
14.6	Special precautions for user		
	Special regulations:	Non-applicable	
	Tunnel restriction code:	Non-applicable	
	Physico-Chemical properties:	see section 9	
	Limited quantities:	Non-applicable	
14.7	Transport in bulk according	Non-applicable	
	to Annex II of Marpol and		
	the IBC Code:		
-	rt of dangerous goods by sea:		
With rega	ard to IMDG 39-18:		
	UN number:	Non-applicable	
	UN proper shipping name:	Non-applicable	
14.3	Transport hazard class(es):	Non-applicable	
	Labels:	Non-applicable	
14.4	Packing group:	Non-applicable	
14.5	Environmental hazards:	No	
14.6	Special precautions for user		
	Special regulations:	Non-applicable	
	EmS Codes:		
	Physico-Chemical properties:	see section 9	
	Limited quantities:	Non-applicable	
	Segregation group:	Non-applicable	
14.7	Transport in bulk according	Non-applicable	
	to Annex II of Marpol and		
T	the IBC Code:		
-	rt of dangerous goods by air:		
With rega	ard to IATA/ICAO 2020:		
14.1	UN number:	Non-applicable	
	UN proper shipping name:	Non-applicable	
14.3	Transport hazard class(es):	Non-applicable	
	Labels:	Non-applicable	
	Packing group:	Non-applicable	
14.5	Environmental hazards:	No	
14.6	Special precautions for user		
	Physico-Chemical properties:	see section 9	
14.7	Transport in bulk according	Non-applicable	
	to Annex II of Marpol and the IBC Code:		

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable



MB240 - Speedy HinfI

Date of compilation: 04/08/2020 Version: 1

 SECTION 15: REGULATORY INFORMATION (continued)

 Article 95, REGULATION (EU) No 528/2012: Non-applicable

 REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

 Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Product classified hazardous under the CMR. Sale and distribution to the general public is prohibited. Due to its CMR category, it is essential to apply the specific measures for workplace hazard prevention covered in articles 4 and 5 of the 2004/37/EC Directive and later modifications.

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation

H360: May damage fertility or the unborn child

H319: Causes serious eye irritation

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed Eye Dam. 1: H318 - Causes serious eye damage

Repr. 1B: H360 - May damage fertility or the unborn child

Skin Corr. 1C: H314 - Causes severe skin burns and eye damage

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:



MB240 - Speedy HinfI

Date of compilation: 04/08/2020 Version: 1

SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOg-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.