

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

MB467 - NZY 1X MOPS-SDS Buffer Powder

SECT	TON 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING				
1.1	Product identifier: MB467 - NZY 1X MOPS-SDS Buffer Powder				
	Other means of identification:				
	Non-applicable				
1.2	Relevant identified uses of the substance or mixture and uses advised against:				
	Relevant uses: Laboratory. For professional users only.				
	Uses advised against: All uses not specified in this section or in section 7.3				
1.3	Details of the supplier of the safety data sheet:				
	NZYTech				
	Estrada do Paco do Lumiar Campus do Lumiar - Edif. E, r/c				
	1649-038 Lisboa - Lisboa - Portugal info@nzytech.com				
	www.nzytech.com				
1.4	Emergency telephone number: National Poison Center (Portugal) CIAV: +351 800 250 250; Outside Portugal: Call your				
	regional Poisons Information Service or call local Life Saving Service.				
SECT	TON 2: HAZARDS IDENTIFICATION				
2.1	Classification of the substance or mixture:				
2.1	CLP Regulation (EC) No 1272/2008:				
	Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.				
	Eye Dam. 1: Serious eye damage, Category 1, H318				
2.2	Label elements:				
2.2					
	CLP Regulation (EC) No 1272/2008:				
	Labelling of packages where the contents do not exceed 125 ml: Danger				
	Hazard statements:				
	Eye Dam. 1: H318 - Causes serious eye damage.				
	Precautionary statements:				
	P280: Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear.				
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
	P310: Immediately call a poison center/doctor.				
	Substances that contribute to the classification				
	Sodium dodecyl sulfate				
2.3	Other hazards:				
	Product does not meet PBT/vPvB criteria				
	Endocrine-disrupting properties: The product does not meet the criteria.				
SECT	TON 3: COMPOSITION/INFORMATION ON INGREDIENTS				
3.1	Substance:				
3.1					
.	Non-applicable				
3.2	Mixture:				
	Chemical description: Mixture of substances				
	Components:				
	In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:				



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

MB467 - NZY 1X MOPS-SDS Buffer Powder

Date of compilation: 11/09/2023 Version: 1

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Identification Chemical name/Classification						
CAS:	151-21-3	Sodium dodecyl sulfa	ite ⁽¹⁾	Self-classified		
	205-788-1 Non-applicable Non-applicable	Regulation 1272/2008	Acute Tox. 4: H302+H332; Aquatic Chronic 3: H412; Eye Dam. 1: H318; Flam. Sol. 2: H228; Skin Irrit. 2: H315; STOT SE 3: H335 - Danger		2,5 - <10 %	
CAS:	6381-92-6	Ethylenediaminetetra	aacetic acid (EDTA) ⁽¹⁾	Self-classified		
EC: Index: REACH:	205-358-3 Non-applicable Non-applicable	Regulation 1272/2008	Acute Tox. 4: H332; Aquatic Chronic 3: H412; STOT RE 2: H373 - Warning	(!)	1 - <2,5 %	

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acute toxicity		Genus
Sodium dodecyl sulfate	LD50 oral	500 mg/kg (ATEi)	
CAS: 151-21-3	LD50 dermal	Non-applicable	
EC: 205-788-1	LC50 inhalation	1,5 mg/L (ATEi)	
Ethylenediaminetetraacetic acid (EDTA)	LD50 oral	Non-applicable	
CAS: 6381-92-6	LD50 dermal	Non-applicable	
EC: 205-358-3	LC50 inhalation	1,5 mg/L (ATEi)	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

MB467 - NZY 1X MOPS-SDS Buffer Powder

Date of compilation: 11/09/2023 Version: 1

SECTION 5: FIREFIGHTING MEASURES (continued)

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

It is recommended to avoid environmental spillage of both the product and its container.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Preferably use aspiration for cleaning. Given the danger of the product by inhalation, any cleaning method that involves exposure to the product in this way (sweeping, etc.) is not recommended

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

MB467 - NZY 1X MOPS-SDS Buffer Powder

Date of compilation: 11/09/2023 Version: 1

SECTION 7: HANDLING AND STORAGE (continued)

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

DNEL (Workers):

Non-applicable

DNEL (General population):

Non-applicable

PNEC:

Non-applicable

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks	
Compulsory use of face mask	Filter mask for particles		EN 149:2001+A1:2009	Replace when an increase in resistence to breathing is observed.	

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374- 1:2016+A1:2018


As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

NZYtech

MB467 - NZY 1X MOPS-SDS Buffer Powder

	8: EXPOSURE (CONTROLS	5/PERSON	AL PROTECTIO	ON (continued)		
Γ	Pictogram	PI	PE	Labelling	CEN Standard		Remarks
		Anti-slip v	vork shoes	CAT II	EN ISO 20347:2012	perio recom	ce before any evidence of deterioration. ds of prolonged exposure to the product professional/industrial users CE III is imended, in accordance with the regulat EN ISO 20345:2012 y EN 13832-1:2007
F A	Additional emerge	ncy measur	es			•	
	Emergency mea	sure	S	tandards	Emergency mea	asure	Standards
	Emergency sho			ISI Z358-1)11, ISO 3864-4:201	.1 Eyewash stati	ons	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:201
Envi	ironmental exp	osure cont	rols:				
spilla Vola With	age of both the pr atile organic cor	oduct and it	ES container. EU, this pro	For additional in	on of the environment i nformation see subsect owing characteristics:		mmended to avoid environmenta
	/.O.C. density at 2	20 °C:		/m ³ (0 g/L)			
	Average carbon n		•	applicable			
	Average molecular			applicable			
Арр	earance:						
Phys	ical state at 20 o	~.					
				Solid			
	earance:			Solid Powd	ery		
Colo	ur:			Powd	2		
Colo Odo	ur: ur:			Powd White Odou	rless		
Colo Odor Odor	ur: ur: ur threshold:			Powd White Odou	2		
Colo Odor Odor Vola	ur: ur: ur threshold: itility:		116.	Powd White Odou Non-a	rless applicable *		
Color Odor Odor Vola Boilin	ur: ur: ur threshold: itility: ng point at atmos	pheric press	sure:	Powd White Odou Non-a Non-a	applicable *		
Colo Odou Odou Vola Boilin Vapo	ur: ur threshold: stility: ng point at atmos our pressure at 20	pheric press	sure:	Powd White Odou Non-a Non-a Non-a	e rless applicable * applicable * applicable *		
Colo Odor Odor Vola Boilin Vapo Vapo	ur: ur: ur threshold: itility: ng point at atmos	pheric press) °C:) °C:	sure:	Powd White Odou Non-a Non-a Non-a	applicable *		
Colo Odor Odor Vola Boilin Vapo Evap	ur: ur threshold: ntility: ng point at atmos our pressure at 20 our pressure at 50	pheric press) °C:) °C:) °C:	sure:	Powd White Odou Non-a Non-a Non-a	e rless applicable * applicable * applicable * applicable *		
Color Odor Vola Boilin Vapo Evap	ur: ur threshold: htility: ng point at atmos our pressure at 20 our pressure at 50 our pressure at 50	pheric press) °C:) °C:) °C:	sure:	Powd White Odou Non-a Non-a Non-a Non-a	e rless applicable * applicable * applicable * applicable *		
Color Odor Odor Vola Boilin Vapo Evap Proc Dens	ur: ur threshold: ntility: ng point at atmos our pressure at 20 our pressure at 20 our pressure at 20 duct description	pheric press) °C:) °C:) °C: 1:	sure:	Powd White Odou Non-a Non-a Non-a Non-a	e rless applicable * applicable * applicable * applicable * applicable *		
Colo Odou Odou Vola Boilin Vapo Evap Proc Dens Rela	ur: ur threshold: htility: ng point at atmos our pressure at 20 our pressure at 50 our pressure at 20 duct descriptior sity at 20 °C:	pheric press) °C:) °C:) °C: 1: °C:	sure:	Powd White Odou Non-a Non-a Non-a Non-a 1032	e rless applicable * applicable * applicable * applicable * applicable *		
Colo Odou Odou Vola Boilin Vapo Vapo Evap Proc Dens Rela Dyna Kine	ur: ur threshold: htility: ng point at atmos our pressure at 20 our pressure at 20 our pressure at 20 duct descriptior sity at 20 °C: tive density at 20 amic viscosity at 2 matic viscosity at 2	pheric press) °C:) °C:) °C: 1: °C: 20 °C: 20 °C:	sure:	Powd White Odou Non-a Non-a Non-a 1032 1,032 Non-a Non-a	e rless applicable * applicable * applicable * applicable * applicable * kg/m ³ applicable * applicable *		
Colo Odou Odou Vola Boilii Vapo Vapo Evap Proc Dens Rela Dyna Kine Kine	ur: ur: ur threshold: atility: ng point at atmos our pressure at 20 our pressure at 20 our pressure at 20 our pressure at 20 duct description sity at 20 °C: tive density at 20 amic viscosity at 20 matic viscosity at	pheric press) °C:) °C:) °C: 1: °C: 20 °C: 20 °C:	sure:	Powd White Odou Non-a Non-a Non-a 1032 1,032 Non-a Non-a Non-a	e rless applicable * applicable * applicable * applicable * applicable * kg/m ³ applicable * applicable * applicable *		
Colo Odou Odou Vola Boilii Vapo Vapo Evap Proc Dens Rela Dyna Kine Kine Cono	ur: ur threshold: htility: ng point at atmos our pressure at 20 our pressure at 20 our pressure at 20 duct descriptior sity at 20 °C: tive density at 20 amic viscosity at 2 matic viscosity at 2	pheric press) °C:) °C:) °C: 1: °C: 20 °C: 20 °C:	sure:	Powd White Odou Non-a Non-a Non-a 1032 1,032 1,032 Non-a Non-a Non-a	e rless applicable * applicable * applicable * applicable * applicable * applicable * applicable * applicable * applicable *		
Colo Odou Odou Vola Boilii Vapo Vapo Evap Proc Dens Rela Dyna Kine Kine Conc pH:	ur: ur: ur threshold: htility: ng point at atmos pour pressure at 20 poration rate at 20 duct descriptior sity at 20 °C: tive density at 20 amic viscosity at 20 matic v	epheric press) °C:) °C:) °C: 1: °C: 20 °C: 20 °C: 40 °C:	sure:	Powd White Odou Non-a Non-a Non-a 1032 1,032 1,032 Non-a Non-a Non-a Non-a	e rless applicable * applicable *		
Colo Odou Odou Vapa Vapa Vapa Evap Proc Dens Rela Dyna Kine Kine Conc pH: Vapa	ur: ur: ur threshold: atility: ng point at atmos our pressure at 20 our pressure at 20 our pressure at 20 our pressure at 20 duct description sity at 20 °C: tive density at 20 amic viscosity at 20 matic viscosity at	pheric press) °C:) °C:) °C: 1: °C: 20 °C: 20 °C: 40 °C:		Powd White Odou Non-a Non-a Non-a 1032 1,032 1,032 Non-a Non-a Non-a Non-a Non-a	e rless applicable * applicable * applicable * applicable * applicable * applicable * applicable * applicable * applicable *		



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

MB467 - NZY 1X MOPS-SDS Buffer Powder

Date of	compilation: 11/09/2023 Version: 1					
SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)				
	Solubility in water at 20 °C:	Non-applicable *				
	Solubility properties:	Non-applicable *				
	Decomposition temperature:	Non-applicable *				
	Melting point/freezing point:	Non-applicable *				
	Flammability:					
	Flash Point:	Non-applicable				
	Flammability (solid, gas):	Non-applicable *				
	Autoignition temperature:	Non-applicable *				
	Lower flammability limit:	Non-applicable *				
	Upper flammability limit:	Non-applicable *				
	Explosive (Solid):					
	Lower explosive limit:	Non-applicable *				
	Upper explosive limit:	Non-applicable *				
	Particle characteristics:					
	Median equivalent diameter:	Non-applicable *				
9.2	Other information:					
	Information with regard to physical hazard classes:					
	Explosive properties:	Non-applicable *				
	Oxidising properties:	Non-applicable *				
	Corrosive to metals:	Non-applicable *				
	Heat of combustion:	Non-applicable *				
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *				
	Other safety characteristics:					
	Surface tension at 20 °C:	Non-applicable *				
	Refraction index:	Non-applicable *				
	*Not relevant due to the nature of the product, not providing info	rmation property of its hazards.				

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction Contact with air		Increase in temperature	Sunlight	Humidity	
Precaution	Not applicable	Precaution	Precaution	Not applicable	

10.5 Incompatible materials:

Acids	Water Oxidising materials		Combustible materials	Others	
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases	

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

MB467 - NZY 1X MOPS-SDS Buffer Powder

Date of compilation: 11/09/2023 Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acut	Genus	
Sodium dodecyl sulfate	LD50 oral	500 mg/kg (ATEi)	
CAS: 151-21-3	LD50 dermal	>2000 mg/kg	
EC: 205-788-1	LC50 inhalation	1,5 mg/L (ATEi)	



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

MB467 - NZY 1X MOPS-SDS Buffer Powder

Date of compilation: 11/09/2023 Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	Acut	Acute toxicity	
Ethylenediaminetetraacetic acid (EDTA)	LD50 oral	>2000 mg/kg	
CAS: 6381-92-6	LD50 dermal	>2000 mg/kg	
EC: 205-358-3	LC50 inhalation	1,5 mg/L (ATEi)	

Acute Toxicity Estimate (ATE mix):

ATE mix		Ingredient(s) of unknown toxicity	
Oral 8928,57 mg/kg (Calculation method)		0 %	
Dermal	>2000 mg/kg (Calculation method)	Non-applicable	
Inhalation	20,55 mg/L (4 h) (Calculation method)	0 %	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification	Concentration		Species	Genus
Sodium dodecyl sulfate	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 151-21-3	EC50	>10 - 100 mg/L (48 h)		Crustacean
EC: 205-788-1	EC50	>10 - 100 mg/L (72 h)		Algae
Ethylenediaminetetraacetic acid (EDTA)	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 6381-92-6	EC50	>10 - 100 mg/L (48 h)		Crustacean
EC: 205-358-3	EC50	>10 - 100 mg/L (72 h)		Algae

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description Waste class (Regulation (EU 1357/2014)		
It is not possible to assign a specific code, as it depends on the intended use by the user		Non dangerous	
		Non dangerous	
Type of was	ste (Regulation (EU) No 1357/2014):		



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

MB467 - NZY 1X MOPS-SDS Buffer Powder

Date of compilation: 11/09/2023 Version: 1

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:

withing		
14.1	UN number or ID number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
	Packing group:	Non-applicable
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Special regulations:	Non-applicable
	Tunnel restriction code:	Non-applicable
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transpo	rt of dangerous goods by sea:	
With rega	ard to IMDG 40-20:	
14.1	UN number or ID number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
14.5	Marine pollutant:	No
14.6	Special precautions for user	
	Special regulations:	Non-applicable
	EmS Codes:	
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
	Segregation group:	Non-applicable
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transpo	rt of dangerous goods by air:	
With rega	ard to IATA/ICAO 2023:	



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

MB467 - NZY 1X MOPS-SDS Buffer Powder

Date of compilation:	11/09/2023 Version: 1			
SECTION 14: T	SECTION 14: TRANSPORT INFORMATION (continued)			
14.1	UN number or ID number:	Non-applicable		
14.2	UN proper shipping name:	Non-applicable		
14.3	Transport hazard class(es):	Non-applicable		
	Labels:	Non-applicable		
14.4	Packing group:	Non-applicable		
14.5	Environmental hazards:	No		
14.6	Special precautions for user			
	Physico-Chemical properties:	see section 9		
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable		

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H318: Causes serious eye damage.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

MB467 - NZY 1X MOPS-SDS Buffer Powder

Date of compilation: 11/09/2023 Version: 1
SECTION 16: OTHER INFORMATION (continued)
Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled. Acute Tox. 4: H332 - Harmful if inhaled. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage. Flam. Sol. 2: H228 - Flammable solid. Skin Irrit. 2: H315 - Causes skin irritation. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral). STOT SE 3: H335 - May cause respiratory irritation.
Classification procedure:
Eye Dam. 1: Calculation method
Advice related to training:
Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.
Principal bibliographical sources:
http://echa.europa.eu http://eur-lex.europa.eu
Abbreviations and acronyms:
ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor
LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50
LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier
IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.