

CZ0148 UG EN V2302

# α-Mannosidase 92F, Bacteroides thetaiotaomicron

# **BtMns92F (GH92)**

Catalogue number Presentation


CZ01481 1 mg CZ01482 3 x 1 mg

### **Description**

 $\alpha$ -Mannosidase 92F (BtMns92F), assigned the E.C. number 3.2.1.-, is a derivative of Bacteroides thetaiotaomicron. It is a mannosyloligosaccharide 1,3- $\alpha$ -mannosidase. The recombinant BtMns92F, purified from  $Escherichia\ coli$ , is a single-domain Glycoside Hydrolase family 92 (GH92) enzyme (see more details at  $\underline{www.cazy.org}$ ). The protein is supplied in a solution containing 35 mM NaHepes buffer (pH 7.5), 750 mM NaCl, 200 mM Imidazole, 3.5 mM CaCl<sub>2</sub>, and 25% (v/v) glycerol, at a concentration of 1 mg/mL. Bulk quantities of this product can be made available upon request. To place an order, simply visit our website. We offer fast and secure shipping worldwide.

#### **Electrophoretic Purity**

The molecular integrity and purity of *Bt*Mns92F (GH92) were evaluated using sodium dodecyl sulfate-polyacrylamide gel electrophoresis (SDS-PAGE), followed by BlueSafe staining (MB15201) (Figure 1).



**Figure 1**. SDS-PAGE analysis of *Bt*Mns92F (GH92) was conducted in (Lane 1), employing a 14% polyacrylamide gel. The enzyme exhibits a band corresponding to a molecular weight of approximately 84,49 kDa. Lane M contains a Protein Marker for reference.

#### Storage temperature

The protein should be stored at -30°C to -15°C in a constant temperature freezer. The protein will remain stable till the expiry date if stored as specified.

### **Substrate specificity**

BtMns92F (GH92) hydrolyses 1,3-α-mannobiose.

# Temperature and pH optima

The pH optimum for enzymatic activity is 7 while temperature optimum is 37 °C.

# **Enzyme activity**

The substrate specificity and kinetic properties of *Bt*Mns92F (GH92) are detailed in the referenced publication provided below. To perform enzyme assays and determine specific activity values, adhere to the methodology outlined in the cited paper(s).

#### Reference

Cuskin et al. (2015) Nature 517, 165-169.

Mahowald et al. (2009) Proc Natl Acad Sci U S A. 106(14):5859-5864.

## **Customer Support**

Our dedicated customer support team is always ready to assist you with any questions or technical issues you may have. Reach us via email at info@nzytech.com.

# **Quality control assay**

Protein purity is determined to be ≥50%, as assessed by SDS-PAGE and subsequent BlueSafe staining (MB15201).

For life science research only. Not for use in diagnostic procedures.